



kanto 

Supporting your digital lifestyle
www.kantoliving.com

Company

Kanto is an emerging lifestyle brand with a variety of products designed to support our customers' digital lifestyles. We manufacture audio visual mounting solutions, high-quality bookshelf and digital media systems, home entertainment furniture, and a variety of audio, video and computer cables and accessories.

HOW DID WE GET STARTED?

Kanto was founded in January of 2007. Many years of experience designing and manufacturing OEM products for large consumer electronics companies gave us the passion and understanding needed to create the Kanto brand. Today, that knowledge and passion, combined with our team of dedicated engineers, designers, brand managers, sales and support staff, is the driving force behind our success.

WHAT SETS US APART AS A MANUFACTURER?

Our approach to product development has always placed the highest priority on quality. We take pride in everything we design and spend the time to properly develop each product we release to the market. We now manufacture products in several categories, ensuring the best possible experience for our customers' audio and video needs. To complement our product lines, we develop instructional and marketing materials to help in the support and sales of our products. Our marketing team is dedicated to providing up-to-date product manuals, spec sheets, installation videos and technical drawings for commercial installs. These tools not only provide a visual reference to our end-consumers, but also provide our retail and distribution partners with the tools they need to effectively represent our products. We take a very active approach when it comes to establishing relationships with our customers and to ensuring their product needs are cared for.

HOW IS OUR CUSTOMER SERVICE?

Where most companies only promise superior customer service, we deliver it. Our mission statement is to:

“Create a product and customer service experience that sets us apart as a CE manufacturer, and reflects favorably upon the integrity and reputation of our retail and distribution channels.”

Because of this, Kanto has much higher than normal standards when it comes to customer service and support. We stand by our products and are determined to ensure complete satisfaction throughout all our channels and end-users. There is always someone ready to answer your questions.

WHAT ABOUT OUR STAFF?

Each and every member of the Kanto team represents a consumer. None of us would be satisfied building and selling a product that we ourselves wouldn't enjoy in our own home. Every member of our organization plays a vital role in the development and success of our company. Kanto has a team of staff members with years of experience in customer service, sales, product development, engineering and marketing. Entrepreneurs at heart, every one of us is passionate about what we do, who we are, and where we're going.

Contact

KANTO

CANADA
2390 Canoe Ave.
Coquitlam, BC V3K 6C2, Canada

USA
9700 SW Harvest Court
Beaverton. OR. 97005, USA

E: sales@kantoliving.com
T: 778-284-6942
TF: 888-848-2643
F: 778-284-6945

PRODUCT SUPPORT

support@kantoliving.com

MEDIA CONTACT & MARKETING


marketing@kantoliving.com

BUSINESS DEVELOPMENT

business@kantoliving.com

SHIPPING INQUIRES

shipping@kantoliving.com



Entertainment from all angles

MOUNTS

Kanto provides a wide selection of mounts for residential and commercial installations. Our most popular products include mounting solutions for TVs, projectors, desktop monitors and multimedia components. We listen to customer feedback and integrate it into our evolving line of mounts so that you can find the exact mount to fit your needs.

TILTING SINGLE STUD MOUNTS

L100

Back to Basics.


If you have a smaller TV and want a basic and reliable mounting solution, then we had you in mind when designing the L100.


A no frills mount, the L100 comes pre-assembled, is easy to install and offers generous tilt (with modest swivel) capabilities.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 19" to 32"
- Supports TVs up to 56 lbs (25 kg)
- Accommodates VESA sizes: 50x50, 75x75, 100x100, 200x100, 200x200, 100x200
- Accessible tilt mechanism provides a $\pm 12^\circ$ tilt angle
- Swivels 30° left and right
- Sits 3" (7.6cm) from the wall
- Single stud wall plate
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood studs and concrete installation is included
- Two Year Warranty
- Shipping box weight: 2.7 lbs (1.2 kg)
- Shipping box dimensions: 9.8" x 9.3" x 2.3" (25 x 23.5 x 5.8 cm)
- Product weight: 2.2 lbs (1 kg)
- UPC: 800152712130





A VARIETY OF VESA PATTERNS

The L100 is designed for smaller TVs with specific VESA patterns, including 50x50, 75x75, 100x100, 200x100, 200x200, and 100x200.



24 DEGREES OF TILT

The L100 features a tilt mechanism that is easily accessible and uses an adjustment knob that requires no tools. Tip your TV forward or backward up to 12°, and you can quickly tighten the head in place at your desired viewing angle. Maximum tilt is available when your TV is not swiveled left or right.



30 DEGREES OF SWIVEL





The L100 is able to swivel left or right up to 30° when your TV is vertical. When tilted, the swivel angle is reduced because your TV may touch the wall. Combine some tilt and some swivel to adjust your viewing angle.



EASY INSTALLATION

As a basic mount, the L100 is easy to install even for beginners. To make things simple, we provide an easy to follow manual and the mounting hardware needed for wood studs and concrete installations. Phone support and an online video are available to help with installation as well.

TECHNICAL ILLUSTRATIONS




PS100

Basic, but bigger.



The PS100 is a single stud tilting mount designed to mount most flat panel TVs from 26" to 50". It will hold TVs weighing up to 66 pounds, and provide modest tilt or swivel capabilities to provide you with a range of viewing positions.

Solid steel construction, attractive detailing and a durable powder coated finish make this mount a great addition to your home or office.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 26" to 50"
- Supports TVs up to 66 lbs (30 kg)
- Accommodates VESA sizes: 75x75, 100x100, 200x200, 300x300, 400x400
- Accessible tilt mechanism provides a +15° tilt angle, with vertical snap lock
- When vertical, swivels left and right up to 15°
- Sits 3" (7.8 cm) from the wall
- Adjustable horizontal levelling
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood studs and concrete installation is included
- 2 Year Warranty
- Shipping box weight: 8.8 lbs (4 kg)
- Shipping box dimensions: 14.2" x 12" x 3.7" (36.1 x 30.5 x 9.4 cm)
- Product weight: 6.4 lbs (2.9 kg)
- UPC: 800152714387





A VARIETY OF VESA PATTERNS

The PS100 is designed for smaller TVs with specific VESA patterns, including 75x75, 100x100, 200x100 and 200x200.



VESA SIZES TO 400x400

For larger VESA mounting patterns such as 300x300 and 400x400, attach the four extension arms using the supplied Nylock nuts.



TILT MECHANISM

The PS100's fingertip tilt control allows you to tilt your TV forward up to 15°. Adjust the tilt to reduce glare and find the best viewing angle. You can tighten the nuts to lock the tilt angle in place. The tilt head will automatically click into place when the TV is vertical.



MAGNETIC COVERS

Magnetic covers fasten easily to the wall plate to give you a clean, modern look.



COLORFUL GIFT BOX


The PS100 is packaged in a gift box accented with Kanto's vibrant green.



EVERYTHING YOU NEED

Because every installation is unique, PS100's are packaged with all the lag bolts, anchors, mounting bolts, washers and spacers that you could need to install your mount. Our mounts come with clear instruction manuals in order to simplify your installation and customer support is only a phone call away.

TECHNICAL ILLUSTRATIONS



TILTING SINGLE STUD MOUNTS

KT1937

Tilt your TV in your favor with the KT1937.

Even a fraction of an inch can mean the difference between a crystal clear screen and a distracting reflection. Why have HDTV and Blu-ray if you can't see your TV at the right angle?

For changing lighting conditions and the perfectionist at heart, the KT1937 is the mount that remedies the 'tilt challenge.'


Even with its heavy duty tilting arms, it still allows your TV to sit 1.5 inches from the wall when vertical, giving your space a polished look.

With quick release cords, you can quickly remove the TV from the wall to easily access your connections.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 19" to 37"
- Supports TVs up to 40 lbs (18 kg)
- Accommodates VESA sizes from 50x50 to 200x200
- Accessible tilt mechanism provides a +15° angle
- Sits 1.5" (3.8 cm) from the wall
- 12" (30.5 cm) single stud wall plate
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 3.3 lbs (1.5 kg)
- Shipping box dimensions: 14.2" x 5.1" x 2.8" (36 x 13 x 7 cm)
- Product weight: 2.9 lbs (1.3 kg)
- UPC: 800152712765





FITS VESA SIZES UP TO 200x200

The KT1937 is compatible with a range of VESA patterns from 50x50 up to 200x200.



15 DEGREES OF TILT

Effortless fingertip control allows you to tilt your TV forward up to 15° to find the ideal viewing angle for your room. Tighten the tilt nuts to secure your preferred viewing angle. You can just as easily push your TV flat within 1.5° of the wall to give it a nice, sleek profile. The tilt arms click into place when the TV is vertical.



QUICK RELEASE TABS

Once the arms are mounted to your TV, adjust the length of the quick release tabs. Always within reach, the quick release tabs extend below the mount and offer a quick and easy way to detach your TV from the wall. This also makes it easy to install or remove cables at the back of your TV.



VERSATILE Wall plate

We designed the KT1937 with versatility for mounting on surfaces with unique stud spacing. Mounting in the center is, of course, ideal. If this is not the right fit, shift the 12" wall plate left or right and secure one end of your mount to a stud, and the other end using drywall anchors (not supplied).



ATTRACTIVE END CAPS


Now you can have style and function with smooth, polished end caps that cover the ends of your mount and give you a clean, modern look.



EVERYTHING YOU NEED

Everything you need to complete your installation is included. Washers, spacers, bolts, and manuals are neatly packaged for maximum convenience. Phone support is available to guide you through the process.

TECHNICAL ILLUSTRATIONS




L102

Flexibility in a Small Package.



This mount has carved a niche for itself in offices, kitchens and other spaces where a smaller TV is generally more appropriate.

With this in mind, options are still nice to have, so the L102 features an articulating reach of up to 17" from the wall, full swivel capabilities and generous tilt to reach you wherever you may be.



FEATURES & SPECIFICATIONS


- Fits most flat panel TVs from 19" to 32"
- Supports TVs up to 56 lbs (25 kg)
- Accommodates VESA sizes: 50x50, 75x75, 100x100, 200x100, 200x200, 100x200
- Accessible tilt mechanism provides a $\pm 12^\circ$ tilt angle
- Swivels left and right 180° for maximum viewing angle
- Sits 3" (7.6 cm) from the wall
- Extends up to 17" (43.2 cm) from the wall
- Integrated cable management system
- Single stud wall plate
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 4.1 lbs (1.9 kg)
- Shipping box dimensions: 10" x 9.3" x 2.8" (25.5 x 23.5 x 7 cm)
- Product weight: 3.5 lbs (1.6 kg)
- UPC: 800152712147





A VARIETY OF VESA PATTERNS

The L102 is designed for smaller TVs with specific VESA patterns, including 50x50, 75x75, 100x100, 200x100, 200x200, and 100x200.



17 INCHES OF EXTENSION

The L102 extends a generous 17" from the wall to accommodate a variety of TV uses from simple viewing, to home exercise, to gaming, and more. When pushed all the way back into place, your TV sits just 3" from the wall.



SWIVELS 180 DEGREES LEFT OR RIGHT

The extension arms allow you to swivel the TV left or right 180° or more, depending on your TV size. The bigger your TV, the sooner it touches the wall when swiveling.



24 DEGREES OF TILT

The L102 features a tilt mechanism that is easily accessible and uses an adjustment knob that requires no tools. Tip your TV forward or backward up to 12°, and you can quickly tighten the head in place at your desired viewing angle.



EASY INSTALLATION





With only a single stud, the L102 is simple to mount and is up on the wall in no time. Everything you need is included to complete your installation quickly and with relative ease. Use our online video and phone support to guide you through the process.



SLEEK CABLE MANAGEMENT

Built-in cable management tucks your cables out of the way and keeps them neatly and safely organized – out of sight, out of mind.

TECHNICAL ILLUSTRATIONS



ARTICULATING SINGLE STUD MOUNTS

M200

When wall space is at a premium, a single mount stud fits perfectly.

The M200 fits neatly on the wall and provides a wide range of motion – extension, tilt and swivel – to position your TV where you want it. For medium-sized TVs, this mount has heavy-duty steel arms that support up to 80 pounds.

The M200 provides hole patterns that fit most TVs - convenient when you want to upgrade your TV without having to buy and install a new mount.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 26" to 42"
- Supports TVs up to 80 lbs (36 kg)
- Accommodates VESA sizes: 100x100, 200x100, 100x200, 200x200, 300x300, 400x200, 400x400
- Accessible tilt mechanism provides a +10° to -2° tilt angle
- Swivels left and right 90° for maximum viewing angle
- Sits 1.8" (4.6 cm) from the wall
- Extends up to 20" (50.8 cm) from the wall
- Integrated cable management system
- Single stud wall plate
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 10.3 lbs (4.7 kg)
- Shipping box dimensions: 16.1" x 10.7" x 2.9" (40.8 x 27.3 x 7.3 cm)
- Product weight: 9.6 lbs (4.4 kg)
- UPC: 800152015613





CONVENIENT TV PLATE

The M200 TV plate mounts easily to the back of your TV, and fits VESA sizes of 100x100, 200x100, 100x200 and 200x200. It attaches quickly to the mount's tilt head. Note that the center of the TV plate is offset approximately 4" from the stud center (left or right) when flush against the wall.



FITS VESA SIZES TO 400X400

The M200 provides versatility to accommodate various VESA patterns. It includes extension arms that can be mounted in an "H" format to reach VESA sizes 400x200. For other mounting patterns such as 300x300 and 400x400, use the extension arms in an X configuration.



12 DEGREES OF TILT

The tilt mechanism is easily accessible and uses a spring-loaded lever system that requires no tools. Tip your TV forward up to 10° or backward 2°, and you can quickly tighten the head in place at your desired viewing angle.



SWIVELS 90 DEGREES LEFT OR RIGHT

The extension arms allow you to swivel the TV left or right by 90° or more, with up to a 42" TV at full extension. This is ideal for mounting on pillars or corners, giving you the ability to swivel the TV to watch it in a living room, kitchen, office or any other adjacent space.



EXTENDS UP TO 20 INCHES





The M200 extends 20" from the wall and is ideal for mounting in recesses.



CABLE MANAGEMENT

Two easily detachable cable management clips allow you to route your power and video cables neatly from the TV back to the wall. No tools are needed in order to tuck your cables out of sight.

TECHNICAL ILLUSTRATIONS



kanto

www.kantoliving.com | sales@kantoliving.com

Supporting your digital lifestyle™

Kanto Living 2390 Cance Avenue, Coquitlam, BC, V3K 6C2
office: 778.284.6942 | fax: 778.284.6945 | toll free: 888.848.2643

M250

Fit your TV exactly where you want it.


The M250 only requires a single stud to mount and offers a 20" reach. It swivels and tilts to ensure that you get the exact positioning you want.


With support up to 80 pounds, this mount provides great value with its features, durability, and ease of installation.



FEATURES & SPECIFICATIONS


- Fits most flat panel TVs from 19" to 55"
- Supports TVs up to 80 lbs (36 kg)
- Accommodates VESA sizes: 100x100, 200x100, 100x200, 200x200, 300x300, 400x200, 400x400
- Accessible tilt mechanism provides a +10° to -5° tilt angle
- Swivels left and right 80° for maximum viewing angle
- Sits 2.4" (6.1 cm) from the wall
- Extends up to 20" (50.8 cm) from the wall
- Integrated cable management system
- Single stud wall plate
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 11.2 lbs (5.1 kg)
- Shipping box dimensions: 14" x 11.4" x 2.8" (35.5 x 29 x 7 cm)
- Product weight: 10.8 lbs (4.9 kg)
- UPC: 800152712246





FITS A VARIETY OF VESA SIZES TO 200X200

Attach your TV directly to the TV plate to fit VESA size 100x100, 200x100, 200x200 and 100x200.



FITS VESA SIZES 400X200

Attach the included extension arms in an "H" format to reach VESA sizes 400x200.



FITS VESA SIZES 300X300 AND 400x400

For VESA sizes of 300x300 and 400x400, attach the included extension arms in an "X" format.



15 DEGREES OF TILT

The M250 is capable of tilting 10° forward or 5° backward, so the viewing angle can be adjusted to suit you perfectly. To keep your TV at the ideal angle, use the included Allen key to tighten the tilt tension on the two hex bolts located on the tilt head.



SLEEK CABLE MANAGEMENT


Built-in cable management tucks your cables out of the way and keeps them neatly and safely organized – out of sight, out of mind.



20 INCHES OF EXTENSION

The M250 extends a generous 20" from the wall to accommodate a variety of TV uses from simple viewing, to home exercise, to gaming, and more. When pushed all the way back, your TV sits just 2.4" from the wall.

TECHNICAL ILLUSTRATIONS



PS200

Elegance and Functionality.



The PS200 is a single stud articulating mount designed to mount most flat panel TVs from 26" to 50".


It will hold TVs weighing up to 66 pounds, and offers extension, tilt and swivel capabilities to provide you with a wide range of viewing positions, yet sit close to the wall when pushed back. Solid steel construction, attractive detailing and a durable powder coated finish make this mount a great addition to your home or office. An integrated cable management system allows you to route your cables quickly and easily and simple covers finish off the look!



FEATURES & SPECIFICATIONS


- Fits most flat panel TVs from 26" to 50"
- Supports TVs up to 66 lbs (30 kg)
- Accommodates VESA sizes: 75x75, 100x100, 200x200, 300x300, 400x400
- Accessible tilt mechanism provides a +15° tilt angle, with vertical snap lock
- Swivels left and right 90° for maximum viewing angle
- Sits 1.9" (4.9 cm) from the wall
- Extends up to 13.4" (34.1 cm) from the wall
- Integrated cable management system
- Adjustable horizontal levelling
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood studs and concrete installation is included
- 2 Year Warranty
- Shipping box weight: 11 lbs (5 kg)
- Shipping box dimensions: 20.7" x 13.9" x 2.9" (52.5 x 35.3 x 7.4 cm)
- Product weight: 8.4 lbs (3.8 kg)
- UPC: 800152714400





A RANGE OF VESA PATTERNS

The PS200 is designed for smaller TVs with specific VESA patterns, including 75x75, 100x100 and 200x200.




VESA SIZES TO 400x400

For larger VESA mounting patterns such as 300x300 and 400x400, attach the four extension arms using the supplied Nylock nuts.




TILT MECHANISM

The PS200 fingertip control allows you to tilt your TV forward up to 15°. Now you can reduce glare and view your TV at the most comfortable angle. You can tighten the nuts to lock the tilt angle in place. The tilt head will automatically click into place when the TV is vertical.



SWIVELS 90 DEGREES LEFT OR RIGHT

The extension arm allows you to swivel the TV left or right by 90° or more depending on TV size. When pushed back against the wall, note that the center of the TV plate is offset approximately 13" from the stud center (left or right).



EXTENDS UP TO 13.4 INCHES


The PS200 extends 13.4" from the wall to give you a variety of viewing options.



EVERYTHING YOU NEED

Because every installation is unique, PS200's are carefully packaged with all the lag bolts, anchors, mounting bolts, washers and spacers that you could need. Everything is labeled with clear instructions that correspond with the manuals in order to simplify your installation.

TECHNICAL ILLUSTRATIONS



PS300

This mount does it all.


22" of reach from your wall, combined with swivel and tilt capabilities, lets your TV adjust to you – just the way it should be.

The low-profile design means you can tuck it away when you want. With the PS300, you only need a single stud to get it up on the wall, yet still benefit from its many features. Solid steel construction equates to durability and reliability, while the cable management system will make you forget your input wires even existed in the first place.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 26" to 50"
- Supports TVs up to 66 lbs (30 kg)
- Accommodates VESA sizes: 75x75, 100x100, 200x200, 300x300, 400x400
- Accessible tilt mechanism provides a +15° tilt angle, with vertical snap lock
- Swivels left and right 135° for maximum viewing angle
- Sits 1.9" (4.9 cm) from the wall
- Extends up to 21.9" (55.5 cm) from the wall
- Integrated cable management system
- Adjustable horizontal leveling
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood studs and concrete installation is included
- 2 Year Warranty
- Shipping box weight: 15 lbs (6.8 kg)
- Shipping box dimensions: 22.1" x 13.9" x 2.9" (56.2 x 35.3 x 7.4 cm)
- Product weight: 12.1 lbs (5.5 kg)
- UPC: 800152714400



FLP200



So low-profile, your TV looks like it's built in to the wall.


Secure your TV less than an inch from the wall with the FLP200. This mount works best with small to mid-sized TV's and features quick release cords so that you can access your connections and adjust the position of the TV without reinstalling the mount itself.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 19" to 37"
- Supports up to 45 lbs (20 kg)
- Accommodates VESA sizes from 100x100 to 400x200
- Sits 0.75" (1.9 cm) from the wall
- 17.1" (43.4 cm) dual stud wall plate accommodates single stud mounting or dual stud mounting on up to 12" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 1.7 lbs (0.8 kg)
- Shipping box dimensions: 18.1" x 2.4" x 1.2" (46 x 6 x 3 cm)
- Product weight: 1.6 lbs (0.7) kg
- UPC: 800152712208





SIMPLE-TO-INSTALL Wall plate

The FLP200 has a basic wall plate that is easy to install and mounts to a single stud, or on two 12" studs for extra stability. For VESA patterns less than 400mm wide, you can offset your TV on the wall plate to shift your TV left or right. Phone support is available to help you through the process.



FITS VESA SIZES TO 400x200


The FLP200 accommodates a range of VESA patterns from 100x100 to 400x200.



QUICK RELEASE CORDS

Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.

TECHNICAL ILLUSTRATIONS






FLP400


Ultra-slim, ultra-easy.

The FLP400 makes it quick and easy to get your medium sized TV mounted, and nearly flush with the wall. Designed to fit most TVs up to 50", this mount is a great fit for securing your TV in a fixed location. If you want to adjust the position and access connections, you can use the quick-release cords to reattach the TV to the mount without any additional installation.

FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 23" to 50"
- Supports TVs up to 60 lbs (27 kg)
- Accommodates VESA sizes from 100x100 to 400x400
- Sits 0.75" (1.9 cm) from the wall
- 17" (43.2 cm) dual stud wall plate accommodates up to 16" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 2.3 lbs (1.0 kg)
- Shipping box dimensions: 18.1" x 3.5" x 1.2" (46 x 9 x 3 cm)
- Product weight: 2.1 lbs (0.9 kg)
- UPC: 800152712215





SIMPLE-TO-INSTALL Wall plate

The FLP400 has a basic wall plate that is easy to install and mounts on two 16" studs for extra stability. For VESA patterns less than 400mm wide, you can offset your TV on the wall plate to shift your TV left or right. Phone support is available to help you through the process.



FITS VESA SIZES TO 400x400


The FLP400 accommodates a range of VESA patterns from 100x100 to 400x400.



QUICK RELEASE CORDS

Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.

TECHNICAL ILLUSTRATIONS



FLP600


Big TV. Slim Mount. How could it be?

75 pounds is a lot of TV. Get your new investment fastened securely on the wall with the FLP600. This mounting solution allows your TV to rest less than an inch from the wall, giving it a clean, modern look. Designed to fit most TVs up to 60" or even bigger, this mount is a great fit for securing your TV in a fixed location. If you want to adjust the position or access your connections, you can use the quick-release cords to re-attach the TV to the mount without any additional installation.

FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 32" to 60"
- Supports TVs up to 75 lbs (34 kg)
- Accommodates VESA sizes from 100x100 to 600x400
- Sits 0.75" (1.9 cm) from the wall
- 24.8" (63 cm) dual stud wall plate accommodates up to 16" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 3.1 lbs (1.4 kg)
- Shipping box dimensions: 26" x 3.5" x 1.2" (66 x 9 x 3 cm)
- Product weight: 2.8 lbs (1.3 kg)
- UPC: 800152712222





SIMPLE-TO-INSTALL Wall plate

The FLP600 has a basic wall plate that is easy to install and mounts on two studs at either 16" or 24" spacing for extra stability. For VESA patterns less than 600mm, you can offset your TV on the wall plate to shift your TV left or right. Phone support is available to help you through the process.



FITS VESA SIZES TO 600x400


The FLP600 accommodates a range of VESA patterns from 100x100 to 600x400.



QUICK RELEASE CORDS

Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.

TECHNICAL ILLUSTRATIONS



F2337

For that ultra-low profile look.

Do you want your new TV flush against the wall like a work of art? With the F2337, you get the perfect solution for mounting your TV very close to the wall while still providing room for cables.



Quick release cords allow you to access connections, and easily move the placement of your TV without reinstalling. It's designed to work with a wide range of VESA patterns so when you upgrade your TV, you can still use the same mount.


Compatibility, strength, and sophistication. For stationary installations that do not require a range of motion, the F2337 is the mount for you.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 23" to 37"
- Supports TVs up to 100 lbs (45 kg)
- Accommodates VESA sizes from 100x100 to 400x300
- Sits 1" (2.5 cm) from the wall
- 19.5" (49.5 cm) dual stud wall plate accommodates up to 16" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 6.2 lbs (2.8 kg)
- Shipping box dimensions: 21" x 9" x 1.6" (53.4 x 22.8 x 4 cm)
- Product weight: 5.7 lbs (2.6 kg)
- UPC: 800152712178





STRONG WALL PLATE

The F2337 is designed with two rows of mounting holes for extra strength and uses four lag bolts to support heavier TVs up to 100 pounds. It provides some offset abilities, depending on your TV size, allowing you to position your TV anywhere along the wall plate. Made of solid steel, the 19.5" wall plate mounts on 16" stud spacing.



FITS VESA SIZES TO 400x300

The F2337 is compatible with a range of VESA patterns from 100x100 up to 400x300.



QUICK LOCK MECHANISM

The spring-loaded locks click neatly into place as you swing the bottom of your TV to the wall. Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.



HORIZONTAL LEVELING SCREWS


Located on each of the vertical bracket arms is a leveling screw that is used to fine-tune the angle of your TV. If you notice that your TV is not completely level, use the leveling screws to make the necessary adjustments so that it's perfectly aligned.



ATTRACTIVE END CAPS

Now you can have style and function with smooth, polished end caps that cover the ends of your mount and give you a clean, modern look.

TECHNICAL ILLUSTRATIONS



FIXED DUAL STUD MOUNTS

F3760

Peace of mind in securing your new TV.




Now that you've invested in a TV that weighs up to 150 pounds, it's time to get it up safely on the wall.

Introducing the F3760, the low-profile mount which lets your TV sit an inch from the wall, leaving just enough room for your cables. With solid steel construction and a powder-coated finish, this mount is built to last. With quick release cables, you can modify the placement of your TV and access your cables easily.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 37" to 60"
- Supports TVs up to 150 lbs (68 kg)
- Accommodates VESA sizes from 100x100 to 600x400
- Sits 1" (2.5 cm) from the wall
- 27" (68.6 cm) dual stud wall plate accommodates up to 24" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 7.3 lbs (3.3 kg)
- Shipping box dimensions: 29" x 9" x 1.6" (73.7 x 22.8 x 4 cm)
- Product weight: 6.8 lbs (3.1 kg)
- UPC: 800152712185





STRONG WALL PLATE

The F3760 is designed with two rows of mounting slots for extra strength and uses four lag bolts to support heavier TVs up to 150 pounds. It provides some offset abilities depending on your TV size, allowing you to position your TV anywhere along the wall plate. Made of solid steel, the 27.4" wall plate mounts on 16" and 24" stud spacing.



FITS VESA SIZES TO 600x400

The F3760 is compatible with a range of VESA patterns from 100x100 up to 600x400.



SHIFT YOUR TV LEFT OR RIGHT

Once your mount is installed you can still move the position of your TV left or right. Smoothly slide your TV across the wall plate to get the perfect viewing position. The range of movement depends on your TV size.



QUICK LOCK MECHANISM

The spring-loaded locks click neatly into place as you swing the bottom of your TV to the wall. Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.



HORIZONTAL LEVELING SCREWS


Located on each of the vertical bracket arms is a leveling screw that is used to fine-tune the angle of your TV. If you notice that your TV is not completely level, use the leveling screws to make the necessary adjustments so that it's perfectly aligned.



ATTRACTIVE END CAPS

Now you can have style and function with smooth, polished end caps that cover the ends of your mount and give you a clean, modern look.

TECHNICAL ILLUSTRATIONS



FIXED DUAL STUD MOUNTS

F6080

Make your friends jealous.


Now that you have a TV that is the envy of all your friends, the challenge is to get it up on the wall safely and securely.

Introducing the F6080, a fixed mount for flat panel TVs from 60" to 90" that weigh up to 200 pounds. Support is provided by a solid steel infrastructure with a powder-coated finish. With VESA patterns to suit most TVs and a quick release feature to access connections and move your TV without having to move the mount, the F6080 is a great mounting solution.



FEATURES & SPECIFICATIONS


- Fits most flat panel TVs from 60" to 80"
- Supports TVs up to 200 lbs (91 kg)
- Accommodates VESA sizes from 400x400 to 1100x600
- Sits 1" (2.5 cm) from the wall
- Adjustable horizontal leveling
- 45" (114.3 cm) wall plate accommodates up to three 16" studs, or offsetting on 24" stud centers
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 13.5 lbs (6.1 kg)
- Shipping box dimensions: 46.5" x 9.1" x 2.8" (118 x 23 x 7 cm)
- Product weight: 11 lbs (5 kg)
- UPC: 800152712345





STRONG WALL PLATE

The F6080 is designed with two rows of mounting slots for extra strength and, using up to six lag bolts on three studs, supports very heavy TVs up to 200 pounds. It provides some offset abilities depending on your TV size, allowing you to position your TV anywhere along the wall plate. Made of solid steel, the 47" wall plate mounts on either three 16" studs or two 24" studs.




FITS VESA SIZES TO 1100x600

The F6080 is compatible with a range of VESA patterns from 400x400 up to 1100x600, to support even the largest TVs.



QUICK LOCK MECHANISM

The spring-loaded locks click neatly into place as you swing the bottom of your TV to the wall. Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.



HORIZONTAL LEVELING SCREWS


Located on each of the vertical bracket arms is a leveling screw that is used to fine-tune the angle of your TV. If you notice that your TV is not completely level, use the leveling screws to make the necessary adjustments so that it's perfectly aligned.



ATTRACTIVE END CAPS

Now you can have style and function with smooth, polished end caps that cover the ends of your mount and give you a clean, modern look.

TECHNICAL ILLUSTRATIONS



TILTING DUAL STUD MOUNTS

T2337

The perfect tilting mount for your smaller TV.



For a sturdy and simple mounting solution, choose the T2337. It carries standard features such as a tilting mechanism and fits a wide range of VESA patterns.

It allows your TV to sit close to the wall and offers quick release cords which let you detach your TV and re-attach it in your preferred viewing position to suit your needs. It can support up to 100 pounds - if your TV weighs this much, we recommend asking someone to give you a helping hand. Functionality + Simplicity + Strength. The T2337 from Kanto.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 23" to 37"
- Supports TVs up to 100 lbs (45 kg)
- Accommodates VESA sizes from 100x100 to 400x300
- Accessible tilt mechanism provides a +10° to -5° tilt angle
- Sits 1.9" (4.8 cm) from the wall
- Adjustable horizontal leveling
- 19.5" (49.5 cm) dual stud wall plate accommodates up to 16" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 7.5 lbs (3.4 kg)
- Shipping box dimensions: 23.2" x 8.9" x 2.4" (59 x 22.5 x 6 cm)
- Product weight: 7.1 lbs (3.2 kg)
- UPC: 800152712154





FITS VESA SIZES TO 400x300

The T2337 is compatible with a range of VESA patterns from 100x100 up to 400x300.



QUICK LOCK MECHANISM

The spring-loaded locks click neatly into place as you swing the bottom of your TV to the wall. Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.



STRONG WALL PLATE

The T2337 is designed with two rows of mounting slots for extra strength and uses four lag bolts for installation. It provides some offset abilities depending on your TV size allowing you to position your TV across the wall plate. Made of solid steel, the 19.5" wall plate mounts on 16" stud spacing.



SUPPORTS 100 POUNDS

The T2337 can support up to 100 pounds.



15 DEGREES OF TILT





With 15° of tilt, the T2337 provides just the right amount of range to make the proper adjustments to optimize your viewing angle.



TILT LOCK SCREWS

Using the included tilt lock screws, you can lock your TV at fixed intervals of +5°, 0°, and -5°. This added feature makes it easy to guarantee the selected position.

TECHNICAL ILLUSTRATIONS



TILTING DUAL STUD MOUNTS

T3760

When a basic tilt is just what you're looking for.



The T3760 is a tilting mount designed for flat panel TVs from 37" to 60" - it provides the structure and stability to get it up on the wall - hassle-free.


Quick-release cords make it easy to access your connections, and move your TV left or right once the mount is installed. Easy installation, a wide range of VESA sizes, easy tilting, and the strength to hold up to 150 pounds - what more could you ask for from an easy-to-install wall mount?



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 37" to 60"
- Supports TVs up to 150 lbs (68 kg)
- Accommodates VESA sizes from 100x100 to 600x400
- Accessible tilt mechanism provides a +10° to -5° tilt angle
- Sits 1.9" (4.8 cm) from the wall
- Adjustable horizontal leveling
- 27" (68.6 cm) dual stud wall plate accommodates up to 24" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 9.3 lbs (4.2 kg)
- Shipping box dimensions: 8.9" x 31.1" x 2.4" (22.5 x 79 x 6 cm)
- Product weight: 8.6 lbs (3.9 kg)
- UPC: 800152712161






FITS VESA SIZES TO 600x400

The T3760 is compatible with a range of VESA patterns from 100x100 up to 600x400.



QUICK LOCK MECHANISM

The spring-loaded locks click neatly into place as you swing the bottom of your TV to the wall. Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.



STRONG WALL PLATE

The T3760 is designed with two rows of mounting slots for extra strength and uses four lag bolts to support heavier TVs up to 150 pounds. It provides some offset abilities depending on your TV size, allowing you to position your TV anywhere along the wall plate. Made of solid steel, the 27.6" wall plate mounts on 16" and 24" stud spacing.



15 DEGREES OF TILT

With the T3760, your TV can be tilted up to 10° forward and 5° backward. You can easily make small but important changes to the tilt of your TV, eliminate glare and enjoy the perfect angle with this convenient feature. The tilt system comes pre-tensioned from the factory, but can be tightened if necessary.



TILT LOCK SCREWS





Using the included tilt lock screws, you can lock your TV at fixed intervals of +5°, 0°, and -5°. This added feature makes it easy to guarantee the selected position.



COLORFUL GIFT BOX

The T3760 is packaged in a gift box accented with Kanto's vibrant green.

TECHNICAL ILLUSTRATIONS



TILTING DUAL STUD MOUNTS

T6090

Showcase what you love.

Now that you've invested in a giant screen, get it fastened to the wall securely with the T6090, and easily tilt it to the viewing angle you want. As long as your TV is under 200 pounds, you're in business.

Accommodating a wide range of VESA patterns, your TV is almost certain to fit perfectly. To move your TV left or right, use the quick-release cords to detach and re-attach wherever you see fit.



Your TV will sit a mere 2" from the wall.

Get the mount that will make you proud.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 60" to 90"
- Supports TVs up to 200 lbs (91 kg)
- Accommodates VESA sizes from 400x400 to 1100x600
- Accessible tilt mechanism provides a +10° to -5° tilt angle
- Sits 2" (5 cm) from the wall
- Adjustable horizontal leveling
- 45" (114.3 cm) wall plate allows mounting to three 16" studs, or offsetting on 24" stud centers
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 15.9 lbs (7.2 kg)
- Shipping box dimensions: 9.4" x 48.6" x 2.8" (24 x 124 x 7 cm)
- Product weight: 14.3 lbs (6.5 kg)
- UPC: 800152712192






FITS VESA SIZES TO 1100x600

The T6090 is compatible with a range of VESA patterns from 400x400 up to 1100x600, to support even the largest TVs.



QUICK LOCK MECHANISM

The spring-loaded locks click neatly into place as you swing the bottom of your TV to the wall. Always within reach, the quick release cords extend below the mount and offer a quick and easy way to detach your TV from the mount and remove it from the wall. This makes it easy to install or remove cables at the back of your TV.



STRONG WALL PLATE

The T6090 is designed with two rows of mounting slots for extra strength and, using up to six lag bolts on three studs, supports very heavy TVs up to 200 pounds. It provides some offset abilities depending on your TV size, allowing you to position your TV across the wall plate. Made of solid steel, the 47" wall plate mounts on either three 16" studs or two 24" studs.



SUPPORTS UP TO 200 POUNDS

The T6090 supports a maximum of up to 200 pounds.



15 DEGREES OF TILT




With the T6090, your TV can be tilted up to 10° forward and 5° backward. You can easily make small but important changes to the tilt of your TV. Eliminate glare and enjoy the perfect angle with this convenient feature. The tilt system comes pre-tensioned from the factory, but can be tightened if necessary.



TILT LOCK SCREWS

Using the included tilt lock screws, you can lock your TV at fixed intervals of +5°, 0°, and -5°. This added feature makes it easy to guarantee the selected position.

TECHNICAL ILLUSTRATIONS



TILTING DUAL STUD MOUNTS

KT3260

Wide enough to fit even 24" stud centers.



While most construction uses 16" stud centers, there are always applications where 24" centers are used - the KT3260 wall plate is wide enough to fit both.


With its low-profile design, range of VESA patterns and flexible tilting mechanism, this mount is a great fit for TVs between 32" and 60". It's built with adjustable quick-release tabs so that you can access your connections or remove the TV from the wall and place it back on the mount in the perfect location.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 32" to 60"
- Supports TVs up to 80 lbs (36 kg)
- Accommodates VESA sizes from 100x100 to 600x400
- Accessible tilt mechanism provides a +12° tilt angle
- Sits 1.5" (3.8 cm) from the wall
- 27.6" (70 cm) dual stud wall plate accommodates up to 24" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 6.8 lbs (3.1 kg)
- Shipping box dimensions: 28.7" x 5.1" x 2.8" (73 x 13 x 7cm)
- Product weight: 6.2 lbs (2.8 kg)
- UPC: 800152015699





FITS VESA SIZES TO 600x400

The KT3260 accommodates a range of VESA sizes from 100x100 to 600x400.



12 DEGREES OF FORWARD TILT

With 12° of tilt, the KT3260 provides just the right amount of range to make the proper adjustments to your viewing angle.



QUICK RELEASE TABS

Once the arms are mounted to your TV, adjust the length of the quick release tabs. Always within reach, the quick release tabs extend below the mount and offer a quick and easy way to detach your TV from the wall. This makes it easy to install or remove cables at the back of your TV.



STRONG WALL PLATE

Designed for strength and flexibility, it features an alignment arrow for proper orientation, plus holes and slots for more precise positioning. The KT3260 works with both 16" or 24" stud spacing and accommodates a variety of stud configurations.



ATTRACTIVE END CAPS


Now you can have style and function with smooth, polished end caps that cover the ends of your mount and give you a clean, modern look.



EVERYTHING YOU NEED

Everything you need to complete your installation is included. Washers, spacers, bolts, and manuals are neatly packaged for maximum convenience. Phone support is available to guide you through the process.

TECHNICAL ILLUSTRATIONS



TILTING DUAL STUD MOUNTS

KT1960

No more growing pains.

The versatility of the KT1960 allows you to mount your current TV and simply adjust it when you buy a bigger one.


The KT1960 works with a wide range of VESA patterns to accommodate most TVs on the market. Think of it like the chameleon of wall mounts – it's able to adjust to an amazing range of TVs and installation settings. It also offers finger-tip control forward tilt and quick-release cords so that you can adjust your TV on the wall mount to suit your needs. The cords are magnetic so it's almost like magic when they tuck neatly out of the way, yet are available at any time.

The KT1960 is your one-size-fits-most TV mount solution.



FEATURES & SPECIFICATIONS


- Fits most flat panel TVs from 19" to 60"
- Supports TVs up to 80 lbs (36 kg)
- Accommodates VESA sizes from 75x75 to 600x400
- Accessible tilt mechanism provides a +12° tilt angle
- Sits 1.4" (3.5 cm) from the wall
- 25.8" (70.6 cm) wall plate accommodates up to 24" stud spacing
- Magnetic pull cord handles allow you to tuck them easily out of sight
- Locking feature for safety and security (lock not provided)
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 8.4 lbs (3.8 kg)
- Shipping box dimensions: 23.4" x 8.5" x 2.6" (59.5 x 21.5 x 6.7 cm)
- Product weight: 6.2 lbs (2.8 kg)
- UPC: 800152713052





PERFECT FOR SMALL TVs

The KT1960 can be used for TVs with VESA patterns as small as 75x75, so will accommodate TVs as small as 19".




FITS VESA SIZES TO 600x400

The KT1960 can be extended to pre-set widths of 17.8" and 25.8" so it can be mounted on up to 24" stud spacing. With the included vertical extension arms, it can be used for TVs with VESA patterns as large as 600x400. Even as you upgrade to a bigger TV, you can continue to use the same mount with a simple adjustment.



12 DEGREES OF FORWARD TILT

This unit tilts forward up to 12° and is easily pushed back to vertical where it clicks into place. With a low-profile design, the KT1960 has your TV sitting 1.4" from the wall when pushed all the way back.



LOCKING MECHANISM

For safety and security, the KT1960 provides the option to install a lock at the top of the latch. This secures the TV in place and helps prevent theft. Lock not included.



MAGNETIC QUICK RELEASE CORDS


Removing your TV from the wall plate is as easy as pulling on the two quick release cords and pulling the bottom of the TV away from the wall plate. These cords include magnetic ends, so they are quickly and easily tucked out of sight behind the TV.



CONVENIENT BOLT PACK

The KT1960 includes a labeled bolt pack with a variety of bolt diameters and lengths, as well as several spacers to allow a custom fit. Lag bolts and concrete anchors are provided so you can mount to wood studs or concrete walls.

TECHNICAL ILLUSTRATIONS



FMC4

Options. Options. Options.

A great fit for both home and commercial installations, the FMC4 offers incredible versatility for your wall-mounting needs.




The adjustable pivot point lets you center your TV perfectly, or move it to either extreme if you need to wrap it around a corner or deal with off-center studs. With almost limitless swivel capability and 24" of extension, this unique mount can meet almost any mounting challenge. Heavy duty solid steel construction means this mount supports up to 100 pounds – plenty of strength for today's bigger TVs.

This mount gives you the flexibility and options you deserve to enhance your digital lifestyle.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 30" to 60"
- Supports TVs up to 100 lbs (45 kg)
- Accommodates VESA sizes from 100x100 to 600x400
- Sliding pivot point may be moved 20" left or right for flexible installation
- Accessible tilt mechanism provides a +10°/-5° tilt angle
- Swivels left and right 135° for maximum viewing angle
- Sits 3.1" (8 cm) from the wall
- Extends up to 23.6" (60 cm) from the wall
- Integrated cable management system
- Adjustable horizontal levelling
- 26.8" (68 cm) wall plate accommodates up to 16" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 26.6 lbs (12.1 kg)
- Shipping box dimensions: 29.5" x 16.9" x 5.5" (75 x 43 x 14 cm)
- Product weight: 24.9 lbs (11.3 kg)
- UPC: 800152712239





SUPPORTS 100 POUNDS

The FMC4 supports a maximum of up to 100 pounds. Even at full extension, your TV stays in place with no sag.



ADJUSTABLE PIVOT POINT

The FMC4 features a sliding pivot point that can be moved 20" to the left or right. With this function, you can move the entire arm and TV plate laterally across the wall plate for a wide range of viewing options.



FITS VESA SIZES TO 600x400

The FMC4 accommodates a range of VESA sizes from 100x100 all the way to 600x400.



SWIVELS 135 DEGREES LEFT OR RIGHT

Depending on the size of your TV and the amount of extension, you can swivel your TV 135° or more to the left or right. With this range of motion, your TV can be seen from almost every part of the room, and even in multiple rooms.



15 DEGREES OF TILT


The ability to tilt 5° backward is useful for lower installations. For higher mount installations, tilting 10° forward allows you to find the perfect viewing position. To keep the angle of your TV constant, use the included Allen key to tighten the tilt tension on the two hex bolts located on the tilt head.



SLEEK CABLE MANAGEMENT

An integrated cable management system allows you to route your power and video cables neatly between the TV and the wall. Keep your cables tidy and out of sight for a clean, organized look.

TECHNICAL ILLUSTRATIONS



kanto

www.kantoliving.com | sales@kantoliving.com

Supporting your digital lifestyle™

Kanto Living 2390 Cance Avenue, Coquitlam, BC, V3K 6C2
office: 778.284.6942 | fax: 778.284.6945 | toll free: 888.848.2643

ARTICULATING DUAL STUD MOUNTS

FMX1



Cliché or not, the FMX1 proves that great things can come in small packages.

The FMX1 gives your TV a wide range of motion to adapt to your changing lifestyle. Heavy-duty solid steel construction means that you can support up to 100 pounds with this mount without sacrificing versatility. Easy-route cable management keeps your cables safely tucked out of view and completes the modern look.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 37" to 50"
- Supports TVs up to 100 lbs (45 kg)
- Accommodates VESA sizes from 75x75 to 400x400
- Accessible tilt mechanism provides a +15°/-5° tilt angle
- Swivels left and right 80° for maximum viewing angle
- Sits 3.5" (9 cm) from the wall
- Extends up to 19.3" (49 cm) from the wall
- Integrated cable management system
- Adjustable horizontal leveling
- 19.7" (50 cm) dual stud wall plate accommodates up to 16" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 28 lbs (12.7 kg)
- Shipping box dimensions: 26.6" x 13.2" x 5.3" (67.5 x 33.5 x 13.5 cm)
- Product weight: 26.5 lbs (12 kg)
- UPC: 800152712338





FITS VESA SIZES TO 400x400

The FMX1 accommodates a range of VESA sizes from 75x75 to 400x400 – perfect for small to mid-sized flat panel TVs.



OVER 19 INCHES OF EXTENSION

The FMX1's full reach extends a generous 19.3" from the wall to accommodate a variety of TV uses from simple viewing, to home exercise, to gaming, and more.



SWIVELS 80 DEGREES LEFT OR RIGHT

Depending on the size of your TV and the amount of extension, you can swivel your TV up to 80° left or right. No matter where you are, your TV adjusts to you.



20 DEGREES OF TILT

The tilt mechanism is easily accessible and uses a swing-over lever system that does not require tools. Tip your TV forward 15°, backward 5°, or anywhere in between, and quickly tighten the head in place at your desired viewing angle.



SLEEK CABLE MANAGEMENT


An integrated cable management system allows you to route your power and video cables neatly between the TV and the wall. Keep your cables tidy and out of sight for a clean, organized look.



SAFELY SECURE YOUR TV

Use the captive screw to securely fasten your TV to the TV plate. Your TV will always stay in place at the perfect position.

TECHNICAL ILLUSTRATIONS



ARTICULATING DUAL STUD MOUNTS

FMX2

This mount is a crowd favorite.

With a full range of motion, including almost 20" reach from the wall, this mount was created to adjust to you.



The FMX2 was built to give options for TVs up to 80" weighing up to 130 pounds. Perfect for hanging TVs with even the widest VESA patterns, you can shift the TV on the plate to optimize the range of viewing positions. Easy.

Designed with a sleek cable management system, solid steel construction, and an easy installation process, what more could you ask for?



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 37" to 80"
- Supports TVs up to 130 lbs (59 kg)
- Accommodates VESA sizes from 75x75 to 800x450
- Accessible tilt mechanism provides a +15°/-5° tilt angle
- Swivels left and right 80° for maximum viewing angle
- Sits 3.5" (9 cm) from the wall
- Extends up to 19.3" (49 cm) from the wall
- Integrated cable management system
- Adjustable horizontal leveling
- 25.2" (64 cm) dual stud wall plate accommodates up to 24" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 33.1 lbs (15 kg)
- Shipping box dimensions: 37.4" x 13.4" x 4.7" (95 x 34 x 12 cm)
- Product weight: 30.9 lbs (14 kg)
- UPC: 800152015569



ARTICULATING DUAL STUD MOUNTS

FMX3

Behold the bigwig of articulating wall mounts.

You may have just purchased a jumbo TV with a plan to set up your own private home theatre. What will get your new investment from the box to the wall and give you the peace of mind that it will stay there? The FMX3, of course.




If your TV measures up to 90" and weighs less than 150 pounds, then this is the perfect mount to give you an amazing range of motion and let you enjoy your TV to the fullest. And we even made it easy. Pre-assembled with heavy-duty dual wishbone arms made of solid steel, the FMX3 is simple to install and offers incredible extension, tilt, and swivel capabilities.

Enjoy your enormous TV in style.



FEATURES & SPECIFICATIONS


- Fits most flat panel TVs from 40" to 90"
- Supports TVs up to 150 lbs (68 kg)
- Accommodates VESA sizes from 200x100 to 700x500
- Accessible tilt mechanism provides a +15° to -5° tilt angle
- Swivels left and right 80° for maximum viewing angle
- Sits 4" (10 cm) from the wall
- Extends up to 28" (71 cm) from the wall
- Integrated cable management system
- Adjustable horizontal leveling
- 26.8" (68 cm) dual stud wall plate
- accommodates up to 24" stud spacing
- Includes paper wall template for marking pilot holes
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 36.1 lbs (16.4 kg)
- Shipping box dimensions: 30" x 13" x 5" (76 cm x 33 x 13 cm)
- Product weight: 31.5 lbs (14.3 kg)
- UPC: 800152015590





SUPPORTS 150 POUNDS

With its solid steel construction, the FMX3 is designed and tested to hold up to 150 pounds. Even with your TV at the maximum weight at full extension, your TV will remain in place with no sag.




28 INCHES OF EXTENSION

Pull your TV an amazing 28" out from the wall – ideal to pull a TV out of a recess, and to allow modest swivel for even an 80" TV.



FITS VESA SIZES TO 700x500

The FMX3 accommodates a range of VESA patterns from 200x100 to 700x500.



SWIVELS 80 DEGREES LEFT OR RIGHT

The articulating arms allow you to swivel your TV left or right up to 80° with smaller TVs. Larger TVs will swivel as well but touch the wall before swiveling the full 80°.



20 DEGREES OF TILT


The tilt mechanism is easily accessible, and uses a spring-loaded lever system that requires no tools. Tip your TV forward up to 15° or backward 5°, and you can quickly tighten the head in place at your desired viewing angle.



EVERYTHING YOU NEED

We supply you with everything except a toolbox to ensure that your installation goes smoothly. Instruction manuals are provided in English, French, and Spanish, as well as the parts you need to mount your TV safely and securely. Easy-to-follow online videos and phone support are available to assist you along the way.

TECHNICAL ILLUSTRATIONS



ARTICULATING DUAL STUD MOUNTS



PDX650

This is probably what you imagined before you started shopping for a mount.

The PDX650 is a full motion wall mount that allows your TV to sit less than 2" from the wall, and gives it options galore.




Generous tilt and swivel capabilities complemented by a 21.8" extension make this mount a winner through and through. It comes pre-assembled for a simple installation, and is strong yet lightweight enough to meet even your highest expectations.

Available in black and white finishes.



FEATURES & SPECIFICATIONS


- Fits most flat panel TVs from 37" to 70"
- Supports TVs up to 125 lbs (57 kg)
- Accommodates VESA sizes from 200x100 to 600x400
- Accessible tilt mechanism provides a +15° to -3° tilt angle
- Swivels left and right 80° for maximum viewing angle
- Sits 2" (5 cm) from the wall
- Extends up to 21.8" (55.3 cm) from the wall
- Integrated cable management system
- Adjustable horizontal leveling
- 18" (45.7 cm) dual stud wall plate accommodates up to 16" stud spacing
- Solid steel construction with durable powder coated finish
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 23.4 lbs (10.6 kg)
- Shipping Box Dimensions: 29.5" x 15.2" x 2.8" (75 x 38.5 x 7 cm)
- Product Weight: 20.9 lbs (9.5 kg)
- UPC: 800152713038 - PDX650 (Black)
- UPC: 800152713045 - PDX650W (White)





LOW PROFILE DESIGN

With a unique tilt head designed to nestle into the frame, the PDX650 will let you push your TV within 2" of the wall. The H frame assembly provides maximum access for cable connections.



EXTENDS ALMOST 22 INCHES

Even with its low-profile design the PDX650 can extend almost 22" from the wall, giving you plenty of room for tilting and swiveling your TV, or for reaching out from alcoves.



SUPPORTS 125 POUNDS


With its solid steel construction, the PDX650 is designed and tested to hold up to 125 pounds. Even with your TV at the maximum weight at full extension, your TV will remain in place with no sag.



18 DEGREES OF TILT

In order to provide you with the ideal viewing angle, the PDX650 can easily be tilted forward 15° or backward 3°. Experiment with the best viewing angle and know that it can be securely locked in place.

Once you've found the best viewing angle, tighten the nuts to secure your TV in place.



SWIVELS 80 DEGREES LEFT OR RIGHT


The articulating arms allow you to pivot your TV left or right up to 80° with TVs up to 50". Larger TVs will touch the wall before swiveling the full 80°.



EVERYTHING YOU NEED

We supply you with everything except a toolbox to ensure that your installation goes smoothly. Instruction manuals are provided in English, French, and Spanish, as well as the parts you need to mount your TV safely and securely. Easy-to-follow online videos and phone support are available to assist you along the way.

TECHNICAL ILLUSTRATIONS



MTM65

Make your TV mobile with the MTM65.




With the MTM65, you get a simple solution for moving your flat panel TV from room to room.

Designed to be lightweight yet ruggedly strong, the MTM65 is a perfect fit for corporate settings, schools, commercial displays, and residential applications.

The balance of simplicity and features is what sets it apart. It holds up to 100 pounds, provides 20" of easy height adjustment, has a lockable quick release feature for added security, and TVs can be mounted in horizontal or vertical orientation.

FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 32" to 65"
- Supports TVs up to 100 lbs (45 kg)
- Accommodates VESA sizes from 200x200 to 600x400
- Height adjustable between 39.4" (1 m) and 59.1" (1.5 m)
- Integrated cable management system
- TV can be mounted in landscape or portrait orientation
- Solid steel construction with durable powder coated finish
- Four wheel locks can be applied and released with your foot
- Assembly Manual and all TV mounting hardware is included
- 2 Year Warranty
- Shipping box weight: 53.6 lbs (24.3 kg)
- Shipping box dimensions: 36.6" x 39.4" x 4.3" (93 x 100 x 11 cm)
- Product weight: 44.5 lbs (20.2 kg)
- UPC: 800152713069





FITS VESA SIZES TO 600X400

Designed to fit most flat panel TVs from 32" to 65", the TV mounting brackets can fit virtually any VESA pattern from 200x200 to 600x400.



SIMPLE HEIGHT ADJUSTMENT

To get your flat panel TV at the ideal height, the MTM65 features two push buttons on the vertical tubes that allow you to set the center of your TV anywhere between 39" and 59", in 2" increments. This adjustment should be done with the TV removed!




SLEEK CABLE MANAGEMENT

The MTM65 uses the hollow vertical tubes to route your cables from the TV to the base, keeping them neatly organized.



The 2" wheels roll smoothly and can be locked into place quickly by stepping on the lock with your toe. Additionally, the locks can be released easily by simply hooking the toe of your shoe under the lock lever and lifting up.



EASY LOCKING FEATURE


Once mounted to the bracket arms, lift your TV onto the horizontal tubes and swing the quick latch into place. For added security, you can add your own padlock through the holes.



EVERYTHING YOU NEED

The MTM65 comes packaged with all the mounting bolts, washers and spacers you'll need to fit virtually any size flat panel TV up to 65".

TECHNICAL ILLUSTRATIONS



MTM72

Bells and Whistles.

The MTM72 is a heavy duty mobile mount that will support up to 200 pounds, delivering all the extra features you expect. It features almost 22" of height adjustment, extra shelving space above and below your display, tilting and rotation capability, plus easy to lock and release wheels.

The MTM72 is delightfully simple to assemble and comes packaged with all the nuts, bolts, washers and spacers you need to get the job done.

Available in black and white finishes.



FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 42" to 72"
- Supports TVs up to 200 lbs (91 kg)
- Accommodates VESA sizes from 200x200 to 800x700
- Height adjustable between 43.3" (1.1 m) and 65" (1.65 m)
- Accessible tilt mechanism provides a +12°/-3° tilt angle
- Integrated cable management system
- TV can be quickly rotated from landscape to portrait orientation
- Solid steel construction with durable powder coated finish
- Four wheel locks can be applied and released with your foot
- Assembly Manual and all TV mounting hardware is included
- 2 Year Warranty
- Shipping box weight: 97 lbs (44 kg)
- Shipping box dimensions: 30.7" x 40.9" x 9.8" (78 x 104 x 25 cm)
- Product weight: 86 lbs (39 kg)
- UPC: 800152713076 - MTM72 (Black)
- UPC: 800152713083 - MTM72W (White)





VESA SIZES TO 800X700

Designed to fit most flat panel TVs from 42" to 72", the TV mounting brackets can fit virtually any VESA pattern from 200x200 to 800x500. Use the extension arms to reach VESA patterns to 800x700.



15 DEGREES OF TILT

The easily accessible tilt lock levers can be quickly released - you can tilt your TV forward up to 12° or backward 3°. The spring-loaded lever system allows you to secure the TV in your desired position and provide the ideal viewing angle.



ADJUSTABLE DEVICE TRAY

To hold your computer or other digital devices, the MTM72 features a device tray located on the main support pillar underneath your TV. Adjust the tray's height to suit your needs.



SLEEK CABLE MANAGEMENT

The MTM72 allows you to route your cables from the TV through the central pillar to the bottom of the cart, keeping them neatly organized.



QUICK RELEASE WHEEL LOCKS




The 3" wheels roll smoothly, and can be locked into place quickly by stepping on the lock with your toe. The locks can be released easily by simply hooking the toe of your shoe under the lock lever and lifting up.



EVERYTHING YOU NEED

The MTM72 comes with all the mounting bolts, washers and spacers you'll need to fit virtually any size flat panel TV. Phone support is available to help with your installation.

TECHNICAL ILLUSTRATIONS



MTM90W

The grand-daddy of the Kanto mobile mount line.



The MTM90W is a mobile television mount designed to mount flat panel TVs from 60" to 100".

It is a heavy-duty rolling cart that will support up to 300 pounds. With an integrated lower tray, a top mounted shelf for cameras or video accessories, 27" of height adjustment, and two handles, it is ideal for use in corporate settings or in multiple classrooms.

It comes packaged with all the bolts, washers and spacers you should need to mount your television, and all four wheels feature locks that can be applied and released with your foot.

FEATURES & SPECIFICATIONS

- Fits most flat panel TVs from 60" to 100"
- Supports TVs up to 300 lbs (136 kg)
- Accommodates VESA sizes from 200x200 to 1200x700
- TV center's height adjustable between 39.4" (1 m) and 67" (1.7 m)
- Integrated cable management system
- Solid steel construction with durable powder coated finish
- Handles located on the sides of the mount for easy steering when relocating your mount
- Four wheel locks can be applied and released with your foot
- Assembly Manual and all TV mounting hardware is included
- Two Year Warranty
- Shipping box weight: 127.9 lbs (58 kg)
- Shipping box dimensions: 33.9" x 72" x 9.4" (86 x 183 x 24 cm)
- Product weight: 108.7 lbs (49.3 kg)
- UPC: 800152713335





FITS VESA SIZES TO 1200x700

Designed to fit most flat panel TVs from 60" to 100", the TV mounting brackets can fit virtually any VESA pattern up to 1200x700.



SMOOTH STEERING HANDLES

The handles come pre-attached to the TV mounting posts, allowing you to move your TV safely. This easy navigation tool helps maintain the mount's stability while moving the unit from room to room. Always pull the mobile mount – never push!



ADJUSTABLE DEVICE TRAY

To hold your computer or other digital devices, the MTM90W features a device tray located between the two support pillars underneath your TV. Adjust the tray's height to suit your needs.



SLEEK CABLE MANAGEMENT

The MTM90W allows you to route your cables from the TV through either of the two support pillars to the bottom of the cart, keeping them neatly organized.



SECURITY LATCHES





Once mounted to the bracket arms, lift your TV onto the TV plate and swing the two latches into place. Tighten the screws to hold the latches firmly in place and ensure the safety of your TV.



QUICK RELEASE WHEEL LOCKS

The 3" wheels roll smoothly, and can be locked into place quickly by stepping on the lock with your toe. To release the locks, simply step down on the release lever.

TECHNICAL ILLUSTRATIONS



P101

Easily mount your projector to your ceiling.


This universal projector mount is most commonly used in boardrooms and offices, but is also ideal for home theater applications.

It features a 360° ball swivel, tilt capability, and can be extended between 9" and 12" from the ceiling. Included is a full set of extension arm lengths and projector mounting hardware to ensure that your installation has all the tools it needs from the get-go. We don't provide the hardware to mount to your ceiling – there are just too many variables involved.

Available in classic matte black and gloss white finishes.

FEATURES & SPECIFICATIONS

- Fits most projectors and supports up to 22 lbs (10 kg)
- Measures 3" (7.6 cm) from the ceiling to the top of the projector and can extend 9" to 12" (23 to 30 cm) using supplied extension tubes
- Ball swivel allows for 360° rotation
- Solid steel construction with durable powder coated finish
- Spring lock allows easy attachment and removal of projector
- Tilt adjustment of $\pm 20^\circ$ for ease of leveling and for use on sloped ceilings
- Installation manual and hardware to attach your projector to the mount is included
- Hardware for attaching the ceiling mount plate is not included due to the many mounting and ceiling variables
- Two Year Warranty
- Shipping box weight: 4.9 lbs (2.2 kg)
- Shipping box dimensions: 11" x 7" x 3.5" (28 x 17.8 x 9 cm)
- Product weight: 4 lbs (1.8 kg)
- UPC: 800152712260 - P101 (Black)
- UPC: 800152712277 - P101W (White)





9" TO 12" EXTENSION

Without the extension tubes, the P101 sits 3" from your ceiling. With the extension tubes, you can extend the length 9" to 12".



POWDER-COATED FINISH

The P101 is powder-coated with a black textured finish, and the P101W is powder coated in a beautiful gloss white. Choose the mount that best suits your décor.



SIMPLE INSTALLATION

The ceiling plate is mounted first to your ceiling (hardware is not provided due to the number of different possibilities). The optional extension tubes may be added, and the projector adapter easily clicks into place.



20 DEGREES OF TILT





Once mounted, the projector adapter will allow 20° of tilt so you can aim your projector at your screen. The tension of the ball adapter can be adjusted if necessary. The P101 also swivels 360°.



FITS MOST PROJECTORS

The P101 is shipped with four mounting arms attached to the tilt head, and four longer mounting arms are included in the box. You should be able to reach the mounting holes on virtually all projectors and easily locate the center of gravity.

TECHNICAL ILLUSTRATIONS



P301

Diagonal ceiling. Straight logic.


The P301 allows you to mount your projector to the ceiling, to the side of a beam or a slanted surface. It sounds complex, so thankfully Kanto has designed this mount for total ease of use.

It smartly features adjustable arms which allow you to accurately center the mount to the projector's center of gravity - essential for vertical hanging. Versatility lies at the heart of the design – with extension, pivot, tilt and swivel adjustments to set up your projector in almost any situation.

Almost any projector mounting configuration is now possible, thanks to the P301.

FEATURES & SPECIFICATIONS

- Fits most projectors and supports up to 22 lbs (10 kg)
- Mounts projector 15" (38.1 cm) to 18" (45.6 cm) from the ceiling
- Pivot adjustment of $\pm 90^\circ$ at the mounting plate ensures extension tubes hang vertically when mounted to sloped ceilings and beams
- Ball swivel allows for 360° rotation
- Integrated cable management system
- Solid steel construction with durable powder coated finish
- Spring lock allows easy attachment and removal of projector
- Installation manual and hardware to attach your projector to the mount is included
- Hardware for attaching the ceiling mount plate is not included due to the many mounting and ceiling variables
- Two Year Warranty
- Shipping box weight: 6.6 lbs (3 kg)
- Shipping box dimensions: 13" x 6.5" x 3.5" (33 x 16.5 x 9 cm)
- Product weight: 6 lbs (2.7 kg)
- UPC: 800152712567





15" TO 18" OF EXTENSION

Once installed to your desired surface – either your ceiling or a slanted wall – the P301 allows your projector to extend 15" to 18" downward.



FITS MOST PROJECTORS

The P301 is shipped with four mounting arms attached to the tilt head, and four longer mounting arms are included in the box. You should be able to reach the mounting holes on virtually all projectors and easily locate the center of gravity.



SIMPLE INSTALLATION

The P301 is designed with as much pre-assembly as possible to ensure that there are only a few steps to get it from the box to fully installed. With simplified manuals, an online installation video and phone support, we make it easy to get your projector mounted securely.



STURDY AND SECURE


Thick gauge steel construction makes the P301 as solid as a mount gets. Designed for strength and long-term security.



90 DEGREES OF TILT

With a 90° pivot point, the pole sits vertically whether mounted on sloped ceilings or even a vertical. Once mounted, the projector adapter will allow 20° of tilt so you can aim your projector at your screen. The tension of the ball adapter can be adjusted if necessary. The P301 also swivels 360°.

TECHNICAL ILLUSTRATIONS



DESKTOP MOUNTS


DMG1000

The flexibility you deserve.

Give yourself flexibility with the DMG1000 series – the desktop monitor mounting solution for VESA-mountable monitors.


With tilt, swivel, height, reach and rotation adjustments, your monitor adjusts to you. The adjustable gas shock system supports monitors weighing between 7.7 and 18.7 pounds, for easy push-of-the-finger height adjustments that make your monitor feel like it's floating.

Reduce eyestrain, back strain, and neck stiffness by using the DMG1000 to adjust your display to suit you.



FEATURES & SPECIFICATIONS

- Fits most flat panel computer monitors and televisions from 17" to 27"
- Supports displays up to 18.7 lbs (8.5 kg)
- Accommodates VESA sizes of 75x75 and 100x100
- Accessible tilt mechanism provides a $\pm 90^\circ$ tilt angle
- Swivels left and right 90° for maximum viewing angle
- Adjustable tension gas shock system provides 8.7" (22 cm) of fingertip height adjustment
- Arm provides up to 21" (53.6 cm) of reach
- 360° monitor rotation for vertical and horizontal screen orientation
- Integrated cable management system
- Installation Manual and all monitor mounting hardware for either desk edge or grommet hole installation is included
- Two Year Warranty
- Shipping box weight: 8.4 lbs (3.8 kg)
- Shipping box dimensions: 17.5" x 13.4" x 5.3" (44.5 x 34 x 13.5 cm)
- Product weight: 6.2 lbs (2.8 kg)
- UPC: 800152713342 - (Black)
- UPC: 800152713359 - DMG1000S (Silver)
- UPC: 800152713366 - DMG1000W (White)





VESA COMPATIBLE HEAD

The mount head attaches to your monitor and fits common VESA patterns of 75x75 and 100x100. With its simple design, it is easy to attach and maneuver your monitor to suit your needs.



ATTRACTIVE BASE

The solid base will hold monitors up to 18.7 pounds. Even as you swivel your monitor and apply pressure to the mount, it will remain securely fastened in place.



WEIGHT ADJUSTMENT

The DMG1000 uses a gas shock system to make your monitor feel like it's floating. Use the Allen key to adjust the tension to balance for the weight of your monitor.




CABLE MANAGEMENT

Safely tuck your cables out of view using the built-in cable management system. Route your cables through the DMG1000 clips so they are securely in place as you swivel and tilt your monitor. Leave the cables slack around the pivot points so movement is smooth.



LOW-PROFILE DESIGN


With a low-profile design, push the DMG1000 back towards the wall to allow yourself more space on your desk. For an up-close view, extend the monitor toward you.







EVERYTHING YOU NEED

The DMG1000 comes with all the brackets, mounting bolts, washers and spacers you'll need to fit virtually any monitor and any desk. Phone support and an online video are available to help with your installation.

TECHNICAL ILLUSTRATIONS



7.7~18.7 lbs
3.5~8.5 kg



DMG2000

Technology keeps expanding – keep pace with the DMG2000.

Spread your digital life across two monitors with the latest dual-display desktop monitor mount from Kanto.




Carefully designed to work with most VESA-mountable monitors, the DMG2000 provides tilt, swivel, height, reach and rotation adjustments so your monitors adjust to you. The gas shock system supports two monitors, each weighing up to 18.7 pounds, for easy push-of-the-finger height adjustments.

Minimize eyestrain, back strain, and neck stiffness by letting the DMG2000 adjust your displays to fit you.



FEATURES & SPECIFICATIONS

- Fits most flat panel computer monitors and televisions from 17" to 27"
- Supports monitors up to 18.7 lbs (8.5 kg)
- Accommodates VESA sizes of 75x75 and 100x100
- Accessible tilt mechanism provides a $\pm 90^\circ$ tilt angle
- Swivels left and right 90° for maximum viewing angle
- Adjustable tension gas shock system provides 8.7" (22 cm) of fingertip height adjustment
- Dual arms provide up to 21" (53.6 cm) of reach
- 360° monitor rotation for vertical and horizontal screen orientation
- Integrated cable management system
- Installation Manual and all monitor mounting hardware for either desk edge or grommet hole installation is included
- Two Year Warranty
- Shipping box weight: 13.2 lbs (6.0 kg)
- Shipping box dimensions: 18.3" x 12.8" x 8.1" (46.5 x 32.5 x 20.5 cm)
- Product weight: 10.1 lbs (4.6 kg)
- UPC: 800152713373 - DMG2000 (Black)
- UPC: 800152713380 - DMG2000S (Silver)
- UPC: 800152713397 - DMG2000W (White)





VESA COMPATIBLE HEADS

The mount heads attach to your monitor and fits with common VESA patterns of 75x75 and 100x100. With its simple design, it is easy to attach and maneuver to suit your needs.



ATTRACTIVE BASE

The solid base will hold two monitors weighing a total of 37 pounds. Even as you swivel your monitor and apply pressure to the mount, it will remain securely fastened in place.



GROMMET MOUNT

The DMG2000 also comes packaged with the parts needed to mount through a grommet hole in your desk.




WEIGHT ADJUSTMENT

The DMG2000 uses a gas shock system to make each of your monitors feel like it's floating. Use the Allen key to adjust the tension to balance for the weight of your monitor. Different weights – no problem!



CABLE MANAGEMENT






Safely tuck your cables out of view using the built-in cable management system. Route your cables through the DMG2000 clips so they are securely in place as you swivel and tilt your monitors. Leave the cables slack around the pivot points so movement is smooth.



EVERYTHING YOU NEED

The DMG2000 comes with all the brackets, mounting bolts, washers and spacers you'll need to fit virtually any monitor and any desk. Phone support and an online video are available to help with your installation.

TECHNICAL ILLUSTRATIONS



kanto

www.kantoliving.com | sales@kantoliving.com

Supporting your digital lifestyle™

Kanto Living 2390 Cance Avenue, Coquitlam, BC, V3K 6C2
office: 778.284.6942 | fax: 778.284.6945 | toll free: 888.848.2643

AVS1

Convenience. Organization. Simplicity.



The AVS1 is a wall-mounted shelving unit designed to maximize space and minimize clutter. It mounts easily to the wall and features a tempered-glass shelf that is just the right size to support your Blu-ray player, satellite receiver, gaming console, or cable TV box.

The black removable cover snaps overtop the built-in cable management system to hide all wires, giving you the minimalist look you desire.



FEATURES & SPECIFICATIONS

- Supports up to 30 lbs (14 kg)
- Integrated cable management system
- Shelf is 17" (43 cm) wide and 14" (35.5 cm) deep
- Solid steel construction with durable powder coated finish
- Shelves are black tempered glass and vertically adjustable
- Installation Manual and all mounting hardware for wood stud and concrete
- installation is included
- Two Year Warranty
- Shipping box weight: 10 lbs (4.6 kg)
- Shipping box dimensions: 18.3" x 14.8" x 3.9" (46.5 x 37.5 x 10 cm)
- Product weight: 7.6 lbs (3.5 kg)
- UPC: 800152712376





SUPPORTS 30 POUNDS

The AVS1 supports several components with a total weight of up to 30 pounds. It's best mounted to wood studs or concrete, but can also mount to drywall with the supplied anchors.



SLEEK CABLE MANAGEMENT

The AVS1 includes two plastic clips with five separate raceways to hide your power and signal cables. You can route the cables to exit at the ends of the wall plate or on either side of the cover.



ADJUSTABLE SHELF

The AVS1 shelf can be mounted at 1" increments at virtually any point on the wall plate. Mount it low and use the cable management and cover to route your cables to your TV.



MODERN DESIGN

The floating shelf below your mounted TV allows you to keep components close at hand. To complete the design-focused aesthetic, the AVS1 provides a sleek tempered-glass shelf to store your digital devices.



CLEAN, FINISHED LOOK





With attractive plastic cover and end caps, plus the tempered glass shelf that seems to float in space, the installed unit looks clean and finished.



SIMPLE INSTALLATION

To install the AVS1, put two screws into the studs, concrete or drywall anchors and attach the wall plate. Place the shelf bracket at your desired height, add the glass shelf, route your wires and add the cover.

TECHNICAL ILLUSTRATIONS



AVS2

A little added support for your toys.


The AVS2 is a wall-mounted shelving unit which offers two tempered-glass shelves for the storage and display of your devices. With a simple installation, adjustable heights, and a sleek cable management system, the AVS2 is the perfect addition to bring structure and organization to your home entertainment system.

Use an AVS2 to hold your Blu-ray player, satellite receiver, gaming console, cable TV box or other devices. The beauty of the design is that you can add as many AVS products as you need to keep everything together.



FEATURES & SPECIFICATIONS

- Supports up to 45 lbs (20 kg)
- Integrated cable management system
- Each shelf is 17" (43 cm) wide and 13" (33 cm) deep
- Space between shelves is adjustable from 9" to 21" (22 to 52 cm)
- Solid steel construction with durable powder coated finish
- 2 black tempered glass, vertically adjustable shelves
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 17.6 lbs (8.0 kg)
- Shipping box dimensions: 18.3" x 14.8" x 4.3" (46.5 x 37.5 x 11 cm)
- Product weight: 16.7 lbs (7.6 kg)
- UPC: 800152015606





SUPPORTS 45 POUNDS

The AVS2 supports several components with a total weight of up to 45 pounds. It's best mounted to wood studs or concrete, but can also mount to drywall with the supplied anchors.



INTERLOCKING WALL PLATES

The AVS2 has two separate interlocking wall plates that can be attached together to build a 34" bracket, or installed individually at two different locations. Add on to your AVS system with additional AVS units – they all interlock.



SLEEK CABLE MANAGEMENT

Each AVS series wall plate includes two plastic clips with five separate raceways to hide your power and signal cables. You can route the cables to exit at the ends of the wall plate or on either side of the cover.



CONCEALED CABLES

Once you've routed your cables, attach the plastic covers to conceal the inner workings. Safely tuck away your cables to give your home entertainment system a clean, modern look.



ELEGANT LOOK





For a sophisticated look, the AVS2 provides sleek tempered-glass shelves to hold your digital devices.



FLEXIBLE CONFIGURATIONS

Each AVS2 box includes two complete sets of hardware so that you can install them together for a 34" wall plate containing two shelves, or as two separate shelves.

TECHNICAL ILLUSTRATIONS



AVS3

Support for your whole digital army.

The AVS3 features three tempered-glass shelves to hold all the devices that complete your home entertainment system.

Audio equipment. Satellite. Cable. Gaming Consoles. Blu-ray.



Keep it all together in a clean and sophisticated way. Designed to fit your specific needs, the modular AVS3 can be assembled several ways to create the ultimate shelving system.


Easy installation and clever attachable covers for cable management ensure that you get that modern look you thought was impossible, until now.



FEATURES & SPECIFICATIONS

- Supports up to 60 lbs (27 kg)
- Integrated cable management system
- Each shelf is 17" (43 cm) wide and 13" (33 cm) deep
- Space between shelves is adjustable from 9" to 21"
- (22 to 52 cm)
- Solid steel construction with durable powder coated finish
- 3 black tempered glass, vertically adjustable shelves
- Installation Manual and all mounting hardware for wood stud and concrete installation is included
- Two Year Warranty
- Shipping box weight: 25.7 lbs (11.7 kg)
- Shipping box dimensions: 18.3" x 16.1" x 5.1" (46.5 x 41 x 13 cm)
- Product weight: 22.1 lbs (10 kg)
- UPC: 800152712253





SUPPORTS 60 POUNDS

The AVS3 supports several components with a total weight of up to 60 pounds. It's best mounted to wood studs or concrete, but can also mount to drywall with the supplied anchors.



INTERLOCKING WALL PLATES

The AVS3 has three separate interlocking wall plates that can be attached together or installed separately. When combined, the wall plates interlock together giving you more range (vertical height adjustments) to place the AVS3 shelves that hold your digital devices.



SLEEK CABLE MANAGEMENT

The AVS3 includes two plastic clips with five separate raceways to hide your power and signal cables. You can route the cables to exit at the ends of the wall plate or on either side of the cover.




CONCEALED CABLES

Once you've routed your cables, attach the plastic covers to conceal the inner workings. Safely tuck away your cables to give your home entertainment system a clean, modern look.



ELEGANT LOOK





For a sophisticated look, the AVS3 provides sleek tempered-glass shelves to hold your digital devices.



FLEXIBLE CONFIGURATIONS

Each AVS3 box includes three complete sets of hardware so that you can install them together for a 50" wall plate containing three shelves, as three separate shelves, or as a single and double shelf.

TECHNICAL ILLUSTRATIONS





Immerse yourself in sound

AUDIO

Kanto sets the standard for clarity, quality, and style. Our premium speaker systems feature multiple input source options, built-in Bluetooth capability, and powerful subwoofers. With a focus on design and next-level integration, Kanto audio products offer users seamless compatibility across digital platforms. Building on the foundation of success of our earlier models, Kanto is committed to creating the sound of the future.

STEREO SYSTEM

kanto YARO

Crisp and Clean.

YARO is a 2 channel audio system utilizing audio technology by Bang & Olufsen ICEpower. Crisp, clean and powerful, YARO delivers fantastic sound in a compact and beautiful package. Combine YARO with any 2 channel audio source for a complete 47 Watt RMS per channel audio solution. YARO includes a subwoofer output so you can add more bass to your sound.



SPECIFICATIONS

- Audio technology by Bang & Olufsen ICEpower
- 2 x Digital Optical Audio inputs
- 3.5mm audio input
- 3.5mm stereo headphone jack
- Full function remote control with bass and treble
- Acoustically enhanced wood cabinets
- Sleek piano-black finish
- Subwoofer output

DESIGNED TO WORK WITH ANY AUDIO SOURCE INCLUDING

- Apple TV, Apple Mac Mini, Boxee, Roku, Google TV
- Apple iPod, iPad and iPhone
- Mobile phones and PDAs with music players
- Video game consoles such as Sony PlayStation 3 and Microsoft Xbox Live
- Desktop, laptop and notebook computers
- Internet radio and network music systems
- Televisions
- Digital radio and satellite receivers

POWERED DESKTOP SPEAKERS



Listen and Believe.

Proudly designed in Canada, the YU2 desktop mini-monitor will make you believe that big sound can come in a small package. With its built-in soundcard, it can stream high-quality audio directly from your computer's USB port, or connect directly to any 3.5mm AUX jack for maximum input flexibility. 3" Kevlar drivers ensure a distortion-free bass and midrange, while the 3/4" silk dome tweeters effortlessly produce scintillating highs. A specially tuned bass-port on the rear extends the low end while keeping airflow away from your active workspace. If deep bass is your thing, simply connect a subwoofer to the SUB OUT port and revel in pure low-end bliss. Eight different colors in matte or gloss finish let you personalize your space.



SPECIFICATIONS

Tweeters	3/4 inch Silk Dome	Outputs	1 x Subwoofer
Woofers	3 inch Kevlar	Speaker Terminals	Left and Right Binding Posts
Nominal Impedance	4 Ohm	Input Voltage / Frequency	AC 100V-240V 50/60 Hz (auto switching)
Sensitivity 2.83V (/1W/1m)	84 dB	Standby Power Consumption	< 0.5 W
Amplifier Type	Class D	Dimensions (each speaker)	W 3.9" x H 5.9" x D 5.3" (100 x 150 x 135 mm)
Power Output	25 Watts RMS per channel	Net Weight (active)	3 lbs (1.4kg)
Input Sensitivity	450 mV	Net Weight (passive)	2.8 lbs (1.3kg)
Total Harmonic Distortion	< 0.1%	Gross Weight	8.6 lbs (3.9kg) (boxed pair)
Crossover System	2-way		
Crossover Frequency	2.5 kHz		
Frequency Range	20 Hz - 20 kHz		
Frequency Response	80 Hz - 10 kHz \pm 6 dB		
Inputs	1 x 3.5mm stereo mini-jack AUX 1 x USB Audio		



AVAILABLE COLORS





SILK DOME TWEETERS

YU2 features 3/4" silk dome tweeters to deliver clear crisp highs.



KEVLAR DRIVERS

The 3" kevlar drivers provide distortion-free mid-range and bass tones - surprising performance for such a small speaker.



INPUTS AND OUTPUTS

Connect to the AUX input with the included Kanto 3.5mm cable to connect any device with a headphone jack to your YU2. Lighten the load on your computer's CPU by connecting directly to YU2's built-in DAC via a USB cable for a fully digital, high-quality audio connection. If you want a little more kick, connect a powered subwoofer to the SUB OUT port.




REAR BASS PORT

YU2 has a rear bass port that has been carefully designed and tuned to eliminate port turbulence while extending bass response.



KNURLED BINDING POSTS


The speaker connection from left to right use high quality knurled binding posts. This standardized wiring system allows you to trim the included premium speaker wire to the desired length or purchase longer lengths for more versatility.




ACCESSIBLE VOLUME KNOB

Tucked neatly out of the way at the top of your active speaker, the smoothly rotating knob doubles as a power switch.


TECHNICAL ILLUSTRATIONS



AUX Input



USB Input



Versatile Wiring



Sub Output



Any Device



Any Computer

POWERED BOOKSHELF SPEAKERS



Be Surprised.

It is hard to believe all the power and connectivity we packed into the YU3. Bridging the gap between desktop and bookshelf speaker, YU3 makes no compromises with 30W per side of built-in Class D amplifier power. 4" Kevlar drivers and 1" silk tweeters provide distortion-free sound fed by YU3's impressive input section. Featuring the same inputs as the larger YU5, two optical Toslink inputs, integrated Bluetooth™ 4.0 for wireless streaming, an RCA port and a 3.5mm AUX jack input, YU3 is ready for anything. Easily add a subwoofer to your system with the sub-out port, and ensure your mobile devices are always ready to go with the USB charging port.



SPECIFICATIONS

Tweeters	1 inch Silk Dome	Outputs	1 x Bluetooth 4.0 (aptX)
Woofers	4 inch Kevlar	1 x Subwoofer	
Nominal Impedance	4 Ohm	1 x USB Charge 5V 1A	
Sensitivity 2.83V (/1W/1m)	85 dB	Speaker Terminals	Left and Right Binding Posts
Amplifier Type	Class D	Input Voltage / Frequency	AC 100V - 240V 50/60 Hz (auto switching)
Power Output	30 Watts RMS per channel	Standby Power Consumption	< 0.5 W
Input Sensitivity	550 mV	Remote	Included
Total Harmonic Distortion	< 0.3%	Dimensions (each speaker)	W 5.5" x H 8.6" x D 7.4" (140 x 220 x 190 mm)
Crossover System	2-way	Net Weight (active)	6.8 lbs (3.1 kg)
Crossover Frequency	2.0 kHz	Net Weight (passive)	5.2 lbs (2.4 kg)
Frequency Range	20 Hz - 20 kHz	Gross Weight	15.9 lbs (7.2 kg) (boxed pair)
Frequency Response	60 Hz - 10 kHz ± 6 dB		
Inputs	1 x 3.5mm mini-jack AUX 1 x RCA L/R 2 x Optical (Toslink)		



AVAILABLE COLORS

GLOSS BLACK GLOSS TEAL GLOSS WHITE MATTE GRAY MATTE GREEN



SILK DOME TWEETERS

YU5 features 1" silk dome tweeters to deliver clear crisp highs. Scintillating sound.



KEVLAR DRIVERS

The 5" Kevlar drivers provide well-balanced mid-range and bass tones for overall sound quality that faithfully reproduces your favorite music.



INPUTS AND OUTPUTS

YU5 features five input choices, including two optical inputs and Bluetooth™ 4.0 (supports aptX CODEC). If you are looking for more low-end, connect a powered subwoofer to the SUB OUT port.



KNURLED BINDING POSTS

Speaker connections from Active (LEFT) to Passive (RIGHT) use high quality knurled binding posts. This standardized wiring system allows you to trim the included premium speaker wire to the desired length or purchase longer lengths for more versatility.



REMOTE CONTROL


Kanto's latest remote provides easy access to input, volume, tone and balance settings, and will also control your Bluetooth™ device.



CONTROL KNOB

YU5's simple user interface features a single knob - simply rotate for volume, push the knob in to cycle through the 5 inputs, or push and hold for 2 seconds to activate/deactivate standby mode.

TECHNICAL ILLUSTRATIONS



AUX Input



Optical Input



USB Charging



RCA Input




Sub Output



Any Computer



Bluetooth



Remote

POWERED BOOKSHELF SPEAKERS



Hi-Fi for all.

The YU5 is our top-of-the-line YU-series bookshelf speaker. Armed with Optical Toslink, Bluetooth™ 4.0 for wireless streaming, RCA and 3.5mm AUX inputs, the YU5 is ready to unleash your favorite music no matter what source you use. Outputting 40W RMS per side via its powerful Class D amp, it delivers crystal-clear sound through its 5.25" Kevlar woofers and 1" silk dome tweeters. Proudly designed in Canada, the YU5 is enclosed in hand-built acoustic MDF cabinets available in 7 smooth matte or vibrant piano gloss colors.

SPECIFICATIONS

Tweeters	1 inch Silk Dome	Outputs	1 x Subwoofer
Woofers	5.25 inch Kevlar		1 x USB Charge 5V 1A
Nominal Impedance	4 Ohm	Speaker Terminals	Left and Right Binding Posts
Sensitivity 2.83V (1W/1m)	87 dB	Input Voltage / Frequency	AC 100V - 240V 50/60 Hz (auto switching)
Amplifier Type	Class D	Standby Power Consumption	< 0.5 W
Power Output	40 Watts RMS per channel	Remote	Included
Input Sensitivity	550 mV	Dimensions (each speaker)	W 6.9" x H 10.7" x D 8.4" (175 x 272 x 215 mm)
Total Harmonic Distortion	< 0.3%	Net Weight (active)	9.2 lbs (4.2 kg)
Crossover System	2-way	Net Weight (passive)	7.9 lbs (3.6 kg)
Crossover Frequency	2.0 kHz	Gross Weight	22.4 lbs (10.2 kg) (boxed pair)
Frequency Range	20 Hz - 20 kHz		
Frequency Response	50 Hz - 10 kHz ± 6 dB		
Inputs	1 x 3.5mm mini-jack AUX 1 x RCA L/R 2 x Optical (Toslink)		





SILK DOME TWEETERS

YU5 features 1" silk dome tweeters to deliver clear crisp highs. Scintillating sound.



KEVLAR DRIVERS

The 5" kevlar drivers provide well-balanced mid-range and bass tones for overall sound quality that faithfully reproduces your favorite music.



INPUTS AND OUTPUTS

YU5 features five input choices, including two optical inputs and Bluetooth™ 4.0 (supports aptX CODEC). If you are looking for more low-end, connect a powered subwoofer to the SUB OUT port.



KNURLED BINDING POSTS

Speaker connections from Active (LEFT) to Passive (RIGHT) use high quality knurled binding posts. This standardized wiring system allows you to trim the included premium speaker wire to the desired length or purchase longer lengths for more versatility.



REMOTE CONTROL


Kanto's latest remote provides easy access to input, volume, tone and balance settings, and will also control your Bluetooth™ device.



CONTROL KNOB

YU5's simple user interface features a single knob - simply rotate for volume, push the knob in to cycle through the 5 inputs, or push and hold for 2 seconds to activate/deactivate standby mode.

TECHNICAL ILLUSTRATIONS



AUX Input



Optical Input




USB Charging



RCA Input




Sub Output



Any Computer



Bluetooth



Remote

POWERED BOOKSHELF SPEAKERS



Passion Delivers Performance.

Style and substance meet in the YUMI powered bookshelf speaker. Kanto's flagship audio solution is proudly designed in Canada and features hand-built acoustic-wood cabinets packed to the brim with flexible input options, high-fidelity components, and serious sonic punch. A powerful Class A/B amplifier powers the 5" Kevlar drivers, letting you crank the volume without worrying about distortion, while the 1" silk dome tweeters keep the highs tight and clear. Featuring two optical Toslink inputs, integrated Bluetooth™ for wireless streaming, an RCA port and a 3.5mm headphone jack input, you will never have to worry about finding the right connection to your sound. With 7 different color options in matte or glossy finish, there's a YUMI that's right for everyone.



SPECIFICATIONS

Tweeters	1 inch Silk Dome	Outputs	2 x Optical (Toslink)
Woofers	5 inch Kevlar		1 x Bluetooth
Nominal Impedance	6 Ohm	Speaker Terminals	Left and Right Binding Posts
Sensitivity 2.83V (1W/1m)	87 dB	Input Voltage / Frequency	110V 60 Hz / 220V 50 Hz (manually switchable)
Amplifier Type	Class AB	Standby Power Consumption	< 0.5 W
Power Output	30 Watts RMS per channel	Remote	Included
Input Sensitivity	350 mV	Dimensions (each speaker)	W 6.9" x H 10.7" x D 8.1" (175 x 272 x 205 mm)
Total Harmonic Distortion	< 0.7%	Net Weight (active)	14.1 lbs (6.4 kg)
Crossover System	2-way	Net Weight (passive)	9.3 lbs (4.2 kg)
Crossover Frequency	2.0 kHz	Gross Weight	26.7 lbs (12.1 kg) (boxed pair)
Frequency Range	20 Hz - 20 kHz		
Frequency Response	60 Hz - 20 kHz ± 6 dB		
Inputs	1 x 3.5mm mini-jack AUX		
	1 x RCA L/R		



AVAILABLE COLORS





SILK DOME TWEETERS

YUMI features 1" silk dome tweeters to deliver clear crisp highs.



KEVLAR DRIVERS

The 5" kevlar drivers provide distortion-free mid-range and deep bass that faithfully reproduces your favorite music.



INPUTS AND OUTPUTS

YUMI features five input choices, including two Optical Toslink ports and Bluetooth™. If you are looking for more low-end, connect a powered subwoofer to the SUB OUT port.



REAR BASS PORT

YUMI has a 2" rear bass port that has been carefully designed and tuned to eliminate port turbulence while extending bass response.



KNURLED BINDING POSTS


The speaker connection from Active (LEFT) to Passive (RIGHT) use high quality knurled binding posts. This standardized wiring system allows you to trim the included premium speaker wire to the desired length or purchase longer lengths for more versatility.



CONTROL KNOB

YUMI's simple user interface features a single knob positioned in the upper right corner of the Active speaker. Simply rotate for volume or push the knob in to cycle through the 5 inputs.

TECHNICAL ILLUSTRATIONS




AUX Input



Optical Input



USB Charging



RCA Input




Sub Output



Any Computer



Bluetooth



Remote

POWERED SPEAKER SYSTEM



Simplicity redefined.

Stepping up to quality home audio has never been simpler or easier thanks to the new SYD6 - simply plug into a power outlet and connect audio from your favorite source! No unsightly wires or complicated wireless setup required. Wonderfully balanced, integrated sound in a single cabinet, SYD6 can be positioned virtually anywhere music follows you. Separate internal compartments for the L/R channels ensure clear soundstage separation. 40W of RMS power are cleanly delivered by the built-in Class D amplifier, powering two 5.25" Kevlar drivers and two 1" Silk dome tweeters. Featuring two optical Toslink inputs, integrated Bluetooth™ 4.0 for wireless streaming, an RCA port and a 3.5mm AUX input, you will never have to worry about finding the right connection to your sound.

SPECIFICATIONS

Tweeters	1 inch Silk Dome	Outputs	2 x Optical (Toslink)
Woofers	5.25 inch Kevlar		1 x Bluetooth 4.0 (aptX)
Nominal Impedance	4 Ohm		1 x Subwoofer
Sensitivity 2.83V (1W/1m)	87 dB	Input Voltage / Frequency	1 x USB Charge 5V 1A
Amplifier Type	Class D		AC 100V - 240V 50/60 Hz
Power Output	40 Watts RMS per channel	Standby Power Consumption	(auto switching)
Input Sensitivity	550 mV	Remote	< 0.5 W
Total Harmonic Distortion	< 0.3%	Dimensions	Included
Crossover System	2-way		W 21.3" x H 6.9" x D 8.9"
Crossover Frequency	2.0 kHz	Net Weight	(540 x 175 x 225 mm)
Frequency Range	20 Hz - 20 kHz	Gross Weight	18.6 lbs (8.4 kg)
Frequency Response	50 Hz - 10 kHz ± 6 dB		24.9 lbs (11.3 kg) (boxed)
Inputs	1 x 3.5mm mini-jack AUX		
	1 x RCA L/R		



AVAILABLE GLOSS COLORS



GLOSS BLACK

GLOSS WHITE

GLOSS TEAL

AVAILABLE MATTE COLORS



MATTE GRAY

MATTE GREEN

MATTE YELLOW



SILK DOME TWEETERS

SYD6 features a pair of 1" silk dome tweeters to deliver clear crisp highs.



KEVLAR DRIVERS

The 5.25" kevlar drivers provide distortion-free mid-range and deep bass that faithfully reproduces your favorite music.



REAR BASS PORT

SYD6 has a pair of 2" rear bass ports that have been carefully designed and tuned to eliminate port turbulence while extending bass response.



CONTROL KNOB

SYD6's user interface features a single knob - simply rotate for volume, push the knob in to cycle through the 5 inputs, or push and hold for 2 seconds to enter or leave Standby Mode.



INPUTS AND OUTPUTS



SYD6 features five input choices, including two Optical Toslink ports and Bluetooth™. If you are looking for more low-end, connect a powered subwoofer to the SUB OUT port.



REMOTE CONTROL

Kanto's latest remote provides easy access to input, volume, tone and balance settings, and will also control your Bluetooth™ device.

TECHNICAL ILLUSTRATIONS



AUX Input



Optical Input



USB Charging



RCA Input




Sub Output



Any Computer



Bluetooth



Remote



www.kantoliving.com | sales@kantoliving.com

Supporting your digital lifestyle™

Kanto Living 2390 Cance Avenue, Coquitlam, BC, V3K 6C2
office: 778.284.6942 | fax: 778.284.6945 | toll free: 888.848.2643

POWERED SUBWOOFER



Bass you can feel.

Sub6 is a sealed box front-firing subwoofer offering 80W of powerful bass extension. A precise low-pass filter makes sub6 a perfect match with any Kanto speaker, allowing you to dial in the perfect cutoff frequency. Its 6" paper-cone driver enables true sub-bass reproduction with low-end that has real weight. Phase adjustment, power saving auto-off and full L/R line level input round out this compact package.



SPECIFICATIONS

Woofer	6 inch Paper Cone Driver	Input Voltage / Frequency	AC 100V - 240V 50/60 Hz (auto switching)
Nominal Impedance	4 Ohm	Standby Power Consumption	< 0.5 W
Sensitivity 2.83V (1W/1m)	86 dB	Dimensions	W 8.7" x H 8.7" x D 8.7" (220 x 220 x 220 mm)
Amplifier Type	Class D	Net Weight	10.5 lbs (4.8 kg)
Power Output	80 Watts	Gross Weight	15.2 lbs (6.9 kg) (boxed)
Input Sensitivity	250 mV		
Total Harmonic Distortion	< 0.3%		
Frequency Range	30 Hz - 250 Hz		
Frequency Response	35 Hz - 165 Hz ± 6 dB		
Low-Pass Filter	40 Hz - 120 Hz		
Phase Switch	0° and 180°		
Input	1 x RCA L/R Line Level		



AVAILABLE COLORS



GLOSS
BLACK



GLOSS
WHITE




MATTE
GRAY



CONTROLS

Every space is different. Precise dials for volume and cut-off frequency offer exacting, responsive control that lets you shape your bass to fit the unique character of your room.



STEREO INPUTS

Although designed to be a perfect match with Kanto speakers, sub6 features stereo inputs allowing use with any source. Anything from vintage stereo receivers to high-end amplifiers with stereo sub output can be connected, so you don't have to sacrifice quality for convenience.



FEET

Solid rubber feet keep sub6 firmly planted on any surface. De-coupling the housing from the surrounding environment allows for unmatched clarity and separation from lower-mid frequencies, and reduces vibration.



ACOUSTIC MDF

sub6's acoustic MDF enclosure is engineered to reduce undesired resonance and reverberation inside the box, providing clean, uncolored sound..



DESIGN



sub6 is available in black, grey and white in your choice of smooth matte or glossy piano finish..



GRILL

sub6 features a specially designed grille which protects the driver from impact and dust, while allowing sound through with minimal diffraction.


TECHNICAL ILLUSTRATIONS




Kanto Speakers




Sub Output




Receiver



Amplifier



Crossover



Phase Control

POWERED SUBWOOFER



Bass you can feel.

sub8 is a sealed box front-firing subwoofer offering 120W of powerful bass extension, perfect for music or home theater. A precise low-pass filter makes sub8 a perfect match with any Kanto speaker, allowing you to dial in the perfect cutoff frequency. Its 8" paper-cone driver enables true sub-bass reproduction with low-end that has real weight. Phase adjustment, power saving auto-off and full L/R line level input round out this high-performance package.

SPECIFICATIONS

Woofer	8 inch Paper Cone Driver	Input Voltage / Frequency	AC 100V - 240V 50/60 Hz (auto switching)
Nominal Impedance	4 Ohm	Standby Power Consumption	< 0.5 W
Sensitivity 2.83V (1W/1m)	88 dB	Dimensions	W 11" x H 11" x D 11" (280 x 280 x 280 mm)
Amplifier Type	Class D	Net Weight	13.6 lbs (6.2 kg)
Power Output	120 Watts	Gross Weight	20.9 lbs (9.5 kg) (boxed)
Input Sensitivity	250 mV		
Total Harmonic Distortion	< 0.3%		
Frequency Range	30 Hz - 250 Hz		
Frequency Response	35 Hz - 175 Hz \pm 6 dB		
Low-Pass Filter	40 Hz - 120 Hz		
Phase Switch	0° and 180°		
Input	1 x RCA L/R Line Level		




AVAILABLE COLORS



GLOSS
BLACK




GLOSS
WHITE



CONTROLS

Every space is different. Precise dials for volume and cut-off frequency offer exacting, responsive control that lets you shape your bass to fit the unique character of your room.



STEREO INPUTS

Although designed to be a perfect match with Kanto speakers, sub8 features stereo inputs allowing use with any source. Anything from vintage stereo receivers to high-end amplifiers with stereo sub output can be connected, so you don't have to sacrifice quality for convenience.



FEET

Solid rubber feet keep sub8 firmly planted on any surface. De-coupling the housing from the surrounding environment allows for unmatched clarity and separation from lower-mid frequencies, and reduces vibration.



ACOUSTIC MDF

sub8's acoustic MDF enclosure is engineered to reduce undesired resonance and reverberation inside the box, providing clean, uncolored sound.



DESIGN



sub8 is available in black, grey and white in your choice of smooth matte or glossy piano finish.



GRILL

sub8 features a specially designed grille which protects the driver from impact and dust, while allowing sound through with minimal diffraction.


TECHNICAL ILLUSTRATIONS




Kanto Speakers



Sub Output




Receiver



Amplifier



Crossover



Phase Control

PASSIVE SPEAKERS

kanto

BEN

Design Element!

That's the best way to describe these solid cubic gems. They look bright, and they sound bright! These great-sounding 5" coaxial speakers deliver incredible detail, and come in a range of colors to suit your decor. The matte finish on our black, white, blue and orange speakers is rich and subtle, and the piano gloss black and red POP! Try mixing and matching your pair today.

Acoustic grade MDF construction, 5" kevlar driver and 1" titanium dome tweeter combine for solid sound. These 4 Ohm speakers will handle 30W of RMS power. BEN is ideal for bookshelf installations, and includes M8 threads on the back so you can wall mount them with the Kanto SWB100 (sold separately).

SPECIFICATIONS

Tweeter	1 inch Titanium Dome high-frequency	Mounting	M8 insert nut centered on rear
Woofers	5.25 inch Kevlar Cone Bass	Dimensions	W 7" x H 7" x D 7" (178 x 178 x 178 mm)
Nominal Impedance	4 Ohm	Net Weight (each)	6 lbs (2.7 kg)
Sensitivity 2.83V (1W/1m)	88 dB	Gross Weight	v
Crossover Response:	3.0 kHz		
Frequency Range	20 Hz - 20 kHz		
Frequency Response	45 Hz - 20 kHz ± 6 dB		
Recommended Amplifier Power:	30 Watts RMS (42W peak)		
Maximum Output:	105 dB		
Connections	Left and Right Knurled Binding Posts		



TECHNICAL ILLUSTRATIONS



BLACK MATTE



BLUE MATTE



ORANGE MATTE






RED GLOSS



WHITE MATTE



BLACK GLOSS



Versatile Wiring

SP130

Sleek and sophisticated.

Kanto SP130 Speaker Stand is a contemporary glass and black tubular speaker stand that will look great in any home.

It features four knurled, adjustable height, pin-point acoustical isolation feet, with optional floor plates if used on solid surfaces. The top plate has two slots for securing your speaker to the stand. The plate sits 27.5" (70 cm) off the ground - ideal for your seating areas. The steel tube features entry and exit holes so that you can conceal your speaker wires. A 9mm tempered black glass base with a tastefully silkscreened Kanto logo complete the look.



FEATURES

- Holds up to 30 lbs (13.8 kg)
- 27.5" (70 cm) height
- Adjustable height, pin-point acoustical isolation feet
- Supplied with optional floor plates for installations on solid surfaces
- Supplied with anti-skid rubber feet for use on speaker plate
- Dual mounting slots
- 13 x 15 cm (5.1" x 5.9") speaker plate
- 23 x 25 cm (9.1" x 9.9") solid glass base
- Easy cable management
- Durable powder coated finish

SPECIFICATIONS

- Shipping box weight: 7 lbs (3.2 kg)
- Shipping box dimensions: 26.8" x 10.6" x 4.3" (68 x 27 x 11 cm)
- Warranty: 2 years
- UPC: 800152712536
- Available in pairs - UPC 800152712758

SWB100

Safe and secure.


Kanto SWB100 Speaker Wall Brackets are perfect for mounting your BEN speakers, or any other speakers with an M8 mounting nut.


They support 8 pounds each, and allow you to rotate your speakers through 30° in any direction to aim them for ideal listening (depending on the size of your speakers, of course).

Easy to mount and assemble, the wall plates attach to drywall using four screws, and the front panel slides on. The bolt is threaded into the back of your speaker, the wing nut tightens to the back, then the ball joint attaches to the front panel using the large mounting nut. Add a safety screw and you're set.

SPECIFICATIONS

- Holds up to 8 lbs (3.6 kg) each
- Rotate 30° in all directions for ideal aiming
- M8 bolt attaches to your speakers
- Textured high-impact plastic finish
- Shipping box weight: 0.9 lbs (0.4 kg)
- Shipping box dimensions: 5.8" x 5" x 2.2" (14.7 x 12.8 x 5.5 cm)
- Warranty: 2 years
- UPC: 800152712543






Linking your digital world

CABLES

Stay connected to your world with Kanto's full lineup of 'link' AV cables and accessories. Get stunning visuals, superb audio quality, and smooth data streaming with a variety of audio, video, and data cables and adapters all designed to support your digital lifestyle.

P11 Series

P11 Series High-Speed HDMI cables support the highest video resolutions and audio formats available and come in a variety of lengths. These low-profile cables are fully compatible with 3D televisions and monitors, offering a high-speed bandwidth of 10.2 Gbps. The high-speed functionality of these cables supports 48-bit Deep Color playback and DTS-HD lossless surround sound, giving you maximum audio and video performance for your HDMI supported devices. P11 cables also feature an HDMI Ethernet channel, which allows compatible devices to share a single Internet connection without the need for additional cables.




FEATURES

- HDMI A (Male) – HDMI A (Male)
- Full 1080p Resolution
- 3D Compatible
- 4K x 2K Video Support
- HDMI Ethernet Channel
- 10.2 Gbps Performance

SPECIFICATIONS

- Several Lengths and Colors Available:

P11-0500W	20" (0.5m)	white
P11-1000W	3" (1.0m)	white
P11-2000B	6" (2.0m)	black
P11-2000W	6" (2.0m)	white
P11-3000B	10" (3.0m)	black
P11-3000W	10" (3.0m)	white
P11-4500W	15" (4.5m)	white




HDMI

HDMI

P11S Series

P11S Series cables provide the same specifications as the P11 line, with the added benefit of a swivel head HDMI connector. Connecting HD cables to flat screen televisions and monitors can sometimes be a challenge when working in a limited space or with certain mounting products. The P11S Series of cables adapt to your situation and allow right-angle connectivity without damaging the connector heads. These low-profile cables are fully compatible with 3D televisions and monitors, offering a high-speed bandwidth of 10.2 Gbps. The high-speed functionality of these cables supports 48-bit Deep Color playback and DTS-HD lossless surround sound, giving you maximum audio and video performance for your HDMI supported devices. P11S cables also feature an HDMI Ethernet channel, which allows compatible devices to share a single Internet connection without the need for additional cables.




FEATURES

- HDMI A (Male) – HDMI A (Male)
- Adjustable Swivel Connector
- Full 1080p Resolution
- 3D Compatible
- 4K x 2K Video Support
- HDMI Ethernet Channel
- 10.2 Gbps Performance

SPECIFICATIONS


- Several Lengths Available:

P11S-2000W	6" (2.0m)	white
P11S-3000W	10" (3.0m)	white



PC340

The PC340 Mini Display Port to HDMI connector lets you connect your high-definition devices directly to your Apple MacBook, MacBook Air, MacBook Pro, Mac Mini and iMac. This cable allows you to use external monitors for your Apple devices at the highest resolution supported – HDMI 1080p.




FEATURES

- Mini Display Port (Male) to HDMI A (Male)
- Compatible with all MacBook versions, iMac and Mac Mini
- Supports external monitors through HDMI
- Full 1080p Resolution
- Supports audio and video

SPECIFICATIONS

- Available Length:

PC340-2000W	6.6ft. (2.0m)	white
-------------	---------------	-------



PC352

The PC352 Mini Display Port to HDMI socket adapter lets you connect longer length HDMI cables directly to your Apple MacBook, MacBook Air, MacBook Pro, Mac Mini and iMac. This cable allows you to use external monitors for your Apple devices at the highest resolution supported – HDMI 1080p.




FEATURES

- Mini Display Port (Male) to HDMI A (Female)
- Compatible with all MacBook versions, iMac and Mac Mini
- Supports external monitors through HDMI
- Full 1080p Resolution
- Supports audio and video

SPECIFICATIONS

- Available Length:

PC352-0150W	6" (0.15m)	white
-------------	------------	-------




Mini Display

Female HDMI

PC201

The PC201 3x HDMI Auto Switcher is a must-have for your home entertainment setup. Now you can conveniently switch between 3 different HDMI sources without the need to change cables. The auto switch automatically recognizes new HDMI sources as they become available and switches the HDMI source accordingly. The connector also features a manual switch and LED status for each port. The auto switch allows for full 1080p resolution and maximum bandwidth of your cables.




FEATURES

- 3x1 HDMI A (Female) Auto Switch to HDMI A (Male)
- Supports up to 3 HDMI connectors
- Auto recognition w/ manual source switch
- Connect all your HD devices through one source

SPECIFICATIONS

- Available Length:

PC201-1500W	5" (1.5m)	white
-------------	-----------	-------



P22 Series

The P22 Series of TOSLINK Digital Optical cables carry digital audio streams through the use of fiber optics. This seamless connection provides a distortion free transmission for all your digital audio sources, giving you clear, unaltered sound quality. These cables can be used to connect multiple audio devices including; DVD and Blu-Ray players, televisions, gaming platforms, amplifiers/receivers and a variety of digital media systems. P22 cables also include a mini-TOSLINK adapter, used in conjunction with new generation laptops, monitors and other devices that require a 3.5mm optical input or output.




FEATURES

- TOSLINK (Male) – TOSLINK (Male)
- Includes one Mini-TOSLINK Adapter Plug
- Fiber Optic Safety Covers
- Maximum Audio Clarity and Resolution
- Full Digital Audio Signal Transfer
- Low-Profile, Flexible Design

SPECIFICATIONS


- Several Lengths Available:

P22-1000W	3" (1.0m)	white
P22-2000W	6" (2.0m)	white
P22-2000W	10" (3.0m)	white



P76

The P76 Stereo Mini-jack to RCA splitter is the perfect solution for listening to your mobile audio devices through a variety of external speaker systems. The splitters allow you to output analog signals through a 3.5mm AUX output and connect them to your receiver or amplifier using RCA (left and right channel) inputs. Alternatively, take an output from two RCA connectors and feed it into a 3.5mm stereo mini-jack. This is an ideal cable to use with mobile devices such as; smartphones, tablets, MP3 players, laptops and other media storage devices.




FEATURES

- 3.5mm Stereo (Male) to 2 x RCA (Male)
- Splits Auxiliary Analog Into Left and Right RCA plugs
- Combines two RCA channels into a stereo mini-jack
- Low-profile, Flexible Design

SPECIFICATIONS

- Available Length:

P76-2000W	6" (2.0m)	white
-----------	-----------	-------



3.5mm Stereo

RCA

P77 Series

P77 Series stereo cables offer a simple solution to connecting your portable audio devices to an external speaker system. These cables are used with 3.5mm inputs and are designed to work with a variety of mobile devices, such as smartphones, tablets, MP3 players, laptops and other media storage devices. Four-pole connectors ensure that these cables can be used with remote speakers that include microphones as well.



FEATURES

- 3.5mm Stereo (Male) to 3.5mm Stereo (Male) – 4 Pole
- Compatible with most mobile devices

SPECIFICATIONS


- Lengths Available:

P77-0500W	20" (0.5m)	white
P77-1000W	3" (1.0m)	white



P77 EXT

The P77 Extension cable offers the same audio quality and compatibility as the standard stereo cable series, but provides additional flexibility and reach with a coiled extension of up to 2 meters. It offers a simple solution to connecting your portable audio devices to an external speaker system. This cable is used with 3.5mm inputs and is designed to work with a variety of mobile devices such as; smartphones, tablets, MP3 players, laptops and other media storage devices. Four-pole connectors ensure that these cables can be used with remote speakers that include microphones as well.




FEATURES

- 3.5mm Stereo (Male) to 3.5mm Stereo (Male) – 4 Pole
- Features a coiled extension with up to 2 meters of reach
- Compatible with most mobile device

SPECIFICATIONS

- Available Length:

P77-2000BC	6" (2.0m)	black, coiled
------------	-----------	---------------




3.5mm Stereo

3.5mm Stereo

P78S

The P78S 3.5mm audio splitter allows you to expand one 3.5mm stereo socket into two auxiliary audio ports. These audio ports support both input and output of analog audio sources. This connector enables you to add a mono microphone input as well as a stereo output all in one cable. This splitter is ideal if you wish to share the same audio source through 2 external players, such as a set of speakers and headphones at the same time. The 3.5mm audio splitter provides the perfect portable solution for expanding your device's outputs.




FEATURES

- 3.5mm Stereo to 2x 3.5mm Stereo (Male to 2x Female) – 4 Pole
- Share one connection for two inputs and outputs
- Connect a microphone and speakers to your laptop or PC
- Share your music with an additional set of headphones

SPECIFICATIONS



- Available Length:

P78-0200W	8" (2.0m)	white
-----------	-----------	-------



PC300

The PC300 3-port USB splitter w/Ethernet connector is the ultimate tool for personal laptops and netbooks. This connector allows you to add additional USB connectors to your PC or Laptop, along with an Ethernet connector for direct Internet access. This accessory is ideal for personal laptops with limited connectors, and will allow you to get the most out of your device.




FEATURES

- USB 2.0A (Male) to Ethernet (Female) with 3-Port USB 2.0A (Female) Splitter
- Expands your USB port availability
- Provides direct internet connection for portable computers
- Fast and reliable connections

SPECIFICATIONS


- Available Length:

PC300-0150W	6" (0.15m)	white
-------------	------------	-------



PC387

The Link USB to MicroUSB cable allows you to charge and sync your portable devices simultaneously. These data cables use connectors that are common with most Android-platform and Blackberry® smartphones. The MicroUSB connector is also used with a wide range of electronics including digital cameras and video recording devices. Connect your devices to a PC/Laptop or other digital storage device, and instantly transfer your video, audio, and images. This USB 2.0 cable allows you to transfer data at higher speeds than previous versions – 480 Mbit/s.




FEATURES

- USB 2.0 A (Male) to USB 2.0 MicroB (Male)
- Charge and sync your device automatically
- Compatible with variety of smartphones and image/video recording devices
- High-speed transfer rate

SPECIFICATIONS


- Available Length:

PC387-2000W	6" (2.0m)	white
-------------	-----------	-------



USB 2.0

USB 2.0 MicroB



Define your living space

FURNITURE

Furnishing your humble abode.

Kanto builds furniture with a minimalist design and a maximum of functionality. The collection features pieces to support your home entertainment system as well as home and office environments.

Quality craftsmanship, style and vibrancy for the modern world.

Tables, chairs, AV units, shelving and more.

CHAIR

ARTIKA A

Simple and bold.

Your classic multi-use chair for a trendy, chic look. A curvy contour means it's easy on the eyes and complements other design elements.

Crafted with hand-cut wool to make for a textured feel. The four-pronged chrome base offers a strong, stable base.



AVAILABLE COLOURS



BLACK

GREY

ORANGE

GREEN-BLUE

YELLOW

SPECIFICATIONS

MODEL

Artika-A

WEIGHT

66.1 lbs (30 kg)/CTN

DIMENSIONS

Product Size - 17.8" x 21.7" x 31.8"
(45 x 55 x 81 cm)


Carton Size - 27.6" x 27.6" x 18.9"
(70 x 70 x 48 cm)

PACKAGING


4pc/CTN

PACKAGE VOLUME


8



PARTS



ASSEMBLY



ARTIKA A

CHAIR

ARTIKA X

A handsome chair with a modern design.

It makes an impact with its curved features, minimal stitching and simple frame.

Crafted with hand-cut wool to offer a textured feel. A crisscrossing chrome steel base provides durability and strength.



AVAILABLE COLOURS



SPECIFICATIONS

MODEL

Artika-X

WEIGHT

59.5 lbs (27 kg)/CTN

DIMENSIONS

Product Size - 17.8" x 21.7" x 32.7"
(45 x 55 x 83 cm)


Carton Size - 27.6" x 27.6" x 22.8"
(70 x 70 x 58 cm)

PACKAGING



4pc/CTN

PACKAGE VOLUME



6.9 cu ft (0.195 CBM)



PARTS



ASSEMBLY



ARTIKA X

TABLE

ARTIKA TABLE

Understated Simplicity.

A strong, rounded top makes this table a classic. A four-pronged chrome base gives it stability and a modern aesthetic.

The look is complete with your choice of a walnut veneer or white gloss finish.

Just enough size to host guests yet compact enough to fit nicely in a decent-sized living space.



AVAILABLE COLOURS



HONEY WALNUT



WHITE

SPECIFICATIONS

MODEL

Artika-T

DIMENSIONS

Product Size - 39.4" x 29.5"

(100 x 75 cm)

Package Size - Top - 41.33" x 41.33" x 2"

(105 x 105 x 5 cm)

Legs - 32.7" x 28.7" x 2.4"

(83 x 73 x 6 cm)

WEIGHT

Top - 24.3 lbs (11 kg)/CTN

Legs - 7.3 lbs (3.3 kg)


PACKAGING

1 piece in 2 cartons


PACKAGE VOLUME

Top - 1.9 cu ft (0.055 CBM)





Legs - 1.3 cu ft (0.036 CBM)



PARTS



ASSEMBLY



ARTIKA TABLE

CHAIR

PALMA FOUR

Stationary comfort.

A unique design makes the Palma Four a standout. With its low-slung back and lowered arms, it almost looks like the next evolution of an office stool.

Four chrome legs provide stability while its hand-cut wool fabric reinforces the design aesthetic.



AVAILABLE COLOURS



COFFEE



GREY

SPECIFICATIONS

MODEL

Palma-4

WEIGHT

40.8 lbs (18.5 kg)/CTN

DIMENSIONS

Product Size - 22" x 21.3" x 31.5"
(56 x 54 x 80 cm)



Package Size - 25.2" x 23.6" x 37"
(64 x 60 x 94 cm)

PACKAGING


2 pieces per carton

PACKAGE VOLUME


12.75 cu ft (0.361 CBM)



PARTS



ASSEMBLY



PALMA FOUR

CHAIR

PALMA STAR

Comfort on wheels.

It's a great addition for home or office use. A lowered back and short arms give it a sleek look. With its wool fabric, the Palma Star features a textured feel that offers a hint of modernity.

Sturdily built with a five-pronged chrome base. Hydraulic lift for easy height adjustment. Strong wheels for smooth movement.



AVAILABLE COLOURS



COFFEE



GREY

SPECIFICATIONS

MODEL

Palma-S

WEIGHT

26.5 lbs (12 kg)/CTN

DIMENSIONS

Product Size - 24.4" x 24.4" x 33.9/38.6"
(62 x 62 x 86/98 cm)


Package Size - 25.1" x 25.1" x 19.7"
(64 x 64 x 50 cm)

PACKAGING


1 piece per carton

PACKAGE VOLUME


7.2 cu ft (0.205 CBM)



PARTS



ASSEMBLY



PALMA STAR

CHAIR

SALINA

Beautifully functional.

A standard red chair that works in a variety of environments, Salina is crafted with smooth pleather and sits on four chrome legs.

With a slightly slanted back, it strikes the balance of comfort and style.

Modern design without breaking the bank.



SPECIFICATIONS

MODEL

EC0807 - Salina

WEIGHT

63.9 lbs (29 kg)/CTN

DIMENSIONS

Product Size - 17.8" x 19.7" x 33.9"
(45 x 50 x 86 cm)


PACKAGING

4 pieces per carton



Package Size - 28.7" x 22.4 x 24.8"
(73 x 57 x 63 cm)

PACKAGE VOLUME


9.25 cu ft (0.262 CBM)



PARTS



ASSEMBLY



SALINA

CHAIR

DUBOIS ALLURE

Versatile look. Solid structure.

With its honey walnut construction and slender chrome base, it stands out from the crowd.

Slight curvatures and a smooth, polished finish allow you to pair this chair with both modern and antique furniture.

A comfortable seat fit for a variety of settings.



SPECIFICATIONS

MODEL

Dubois

WEIGHT

63.9 lbs (29 kg)/CTN

DIMENSIONS

Product Size - 16.9" x 22.4" x 33.5"
(43 x 57 x 85 cm)


PACKAGING

4pc/CTN



Carton Size - 27.6" x 19.7" x 22"
(70 x 50 x 56 cm)

PACKAGE VOLUME



6.9 cu ft (0.196 CBM)



PARTS
CHAIR



ASSEMBLY



DUBOIS ALLURE

DEBAUNNAIRE

SQUARE CHAIR & STOOL

Extended comfort.

Standing alone, this chair contours to your frame and makes you second-guess getting out of your seat. Kick your feet up on the ottoman and you'll forget about what made you sit down in the first place.

Escape and indulge with this unique chair and stool combination. Handcrafted wool gives it a textured feel while its solid steel chrome base offers peaceful stability.



SPECIFICATIONS

MODEL

DB-C & DB-S

DIMENSIONS

Product Size - Chair – 23.8" x 27.6" x 29.1"
(60 x 70 x 74 cm)

Stool – 20.5" x 13.8" x 16.5"
(52 x 35 x 42 cm)

Package Size - Chair – 28" x 26" x 30.3"
(71 x 66 x 77 cm)

Stool – 21.3" x 15" x 17.3"
(54 x 38 x 44 cm)

WEIGHT

Chair – 35.3 lbs (16 kg)/CTN

Stool – 12.3 lbs (5.6 kg)


PACKAGING

2 pieces in 2 cartons

PACKAGE VOLUME

Chair – 12.8 cu ft (0.361CBM)

Stool – 3.2 cu ft (0.090 CBM)



OASIS

Black/Chestnut

Kanto OASIS is a sophisticated wood and glass shelf audio video component and TV stand, designed to complement any home decor.

OASIS offers three tempered black glass shelves and is available in a variety of finishes. OASIS is an enticing piece for any home. Simple assembly and handy cable management ensure a quick and professional-looking home installation. The structural bracket at the rear will support over 260 pounds!



SPECIFICATIONS

- Available in Chestnut, Birch, Mahogany, Walnut and matte black finishes
- Black tempered glass shelves
- Unique rounded ends for a soft look
- Easy-wipe finish
- Multiple cable management openings
 - Route your AV cables for a clean finished installation
- Structural rear bracket
 - Supports over 260 pounds
- 50" width supports TVs up to 60" and beyond
- Assembled dimensions: 50"W x 17.8"D x 20"H (127 x 45 x 51 cm)
- Weight allowance:
 - Top shelf - 100 lbs (45 kg)
 - Middle shelf - 80 lbs (36 kg)
 - Bottom shelf - 80 lbs (36 kg)
 - Shipping box weight: 102 lbs (46.3 kg)
- Shipping box dimensions: 44.3" x 20.5" x 9.9" (112.5 x 52 x 25 cm)
- Warranty: 2 years
- UPC: depends on color

OASIS Plus

Black/Chestnut

Kanto OASIS Plus is a sophisticated wood and glass shelf audio video component stand with a built-in TV mount for 37" to 70" TVs.

OASIS Plus offers three tempered black glass shelves and is available in a variety of finishes. It is an attractive and functional piece for any home. Simple assembly and handy cable management ensure a quick and professional-looking home installation. The structural bracket at the rear will support over 260 pounds on the stand, and the tilting mount will hold TVs weighing up to 130 pounds!



SPECIFICATIONS

- Available in Chestnut, Birch, Mahogany, Walnut and matte black finishes
- Black tempered glass shelves
- Unique rounded ends for a soft look
- Easy-wipe finish
- Multiple cable management openings to route your AV cables for a clean finished installation
- Structural rear bracket supports over 250 pounds
- Tilt and swivel TV mount for 37" to 70" TVs
 - Integrated cable management system
 - Supports TVs up to 130 pounds
 - Provides $\pm 15^\circ$ tilt capability
 - Swivels 25° left and right
- Assembled dimensions: 50"W x 19.3"D x 54"H (127 x 48.8 x 137 cm)
- Weight allowance:
 - Top shelf - 100 lbs (45 kg)
 - Middle shelf - 80 lbs (36 kg)
 - Bottom shelf - 80 lbs (36 kg)
 - TV Mount - 130 lbs (59 kg)
- Stand box weight: 102 lbs (46.3 kg)
- Mount box weight: 22 lbs (10 kg)
- Stand box: 44.3" x 20.5" x 9.9" (112.5 x 52 x 25 cm)
- Mount box: 47.3" x 11.7" x 4.4" (120 x 29.5 x 11 cm)
- Warranty: 2 years
- UPC: depends on color



