



SYSTEM COMPONENTS:

- LOW FREQUENCY DRIVER:** 310G-2
 Cone Kit: C4R310G-2
 Nom. Impedance: 4 Ohm
 Dynamic Test Input V: 5
 Sweep Frequency Hz: 30-1200
 D.C. Resistance Ohms: 3.8 min/4.8 max
 Gap Gauge: .051"
 Notes:
 If Not Serviceable, Replace With: 310G-3
 Visual Change: Yes
 Baffle Modification: No
 Exact Acoustic Replacement: No. Slightly different.
 Replace both units in a stereo pair.
 Additional Parts Currently Available*:
 Dome: 61521
 Mounting Gasket: 60979
- MID RANGE DRIVER:** 305G-2
 Cone Kit: C4R305G-2
 Nom. Impedance: 4 Ohm
 Dynamic Test Input V: 4
 Sweep Frequency Hz: 75-3000
 D.C. Resistance Ohms: 3.8 min/4.6 max
 Gap Gauge: .040"
 Notes:
 If Not Serviceable, Replace With: Currently Available
 Visual Change: N/A
 Baffle Modification: N/A
 Exact Acoustic Replacement: N/A
 Additional Parts Currently Available*:
 Dome: 54721
- HIGH FREQUENCY DRIVER:** 011
 Diaphragm Kit: Diaphragm Kit not available. Defective driver should be replaced.

HIGH FREQUENCY DRIVER (Cont'd)

- Nom. Impedance: 4 Ohm
 Dynamic Test Input V: 3
 Sweep Frequency Hz: 2000-12000
 D.C. Resistance Ohms: 2.7 min/3.3 max
 Gap Gauge: N/A
 Notes:
 If Not Serviceable, Replace With: 012
 Visual Change: Yes
 Baffle Modification: Yes
 Exact Acoustic Replacement: No. Slightly different.
 Replace both units in a stereo pair.
- PASSIVE RADIATOR:** PR310-2
 Cone Kit: Cone Kit Not Available.
 Notes:
 Unit No Longer Available. Replace With: PR310-3
 Visual Change: Yes
 Baffle Modification: No
 Exact Acoustic Replacement: No. Slightly Different.
 Replace both units in a stereo pair.
 Additional Parts Currently Available*:
 Dome: 61521
 Mounting Gasket: 60979

SYSTEM SPECIFICATIONS:

- Nom. Impedance: 8 Ohm
 Rec. Amp Power Range: 10-125 Watts Per Channel
 Crossover Frequencies: 1000 Hz, 6000 Hz
 Sensitivity: 89dB (1 Watt @ 1 Meter)
 Enclosure Dim: 38-7/8" x 18-1/2" x 12-1/2" D
 987mm x 470mm x 318mm
 Shipping Weight: 65 lbs. - 29.5 kg.
 Additional Parts Currently Available*:
 Binding Posts: Red: 63635
 Black: 63636

*Other parts may also be available. Check with JBL for details.