



- 5233 ELECTRONIC FREQUENCY DIVIDING NETWORK
 NOTES: UNLESS OTHERWISE SPECIFIED
- JBL RESERVES THE RIGHT TO MAKE COMPONENT CHANGES WITHOUT NOTICE.
 - RESISTORS IN OHMS, $\frac{1}{4}$ W, 5%.
 - CAPACITORS IN MICROFARADS.
 - IC'S ARE TYPE 4136, JBL NO. 52546.
 - ZENER DIODES ARE 1N4746, 18V; JBL NO. 52225.
 - IN SOME VERSIONS Q5 IS MOTOROLA MPSU06, JBL NO. 48342; Q6 AND Q8 ARE MPSU56, JBL NO. 48341. THESE DEVICES ARE FUNCTIONALLY IDENTICAL TO PARTS SHOWN SCHEMATICALLY.
 - LEADS TO AND FROM BOARD ARE TWISTED PAIRS.
 - ∇ CIRCUIT GROUND
 - /// CHASSIS GROUND
 - SCHEMATIC ALSO APPLIES TO 5231 HAVING SERIAL SUFFIX A, EXCEPT POWER INPUT SECTION. SEE MANUAL FIG. 5.

S301
 55355
 SUPP. VOLT.
 SELECT
 (IN 115V POSITION)

James B. Lansing Sound, Inc.
 8500 Balboa Boulevard, Northridge, California 91324

50716 SD5233-34-76 Printed in U.S.A.



SCHEMATIC OF

